




NADIR ALUMINIUM

MATERIALS: All Aluminium Profile, Aluminium Extrusion, Aluminium Bar, Aluminium Pipes & tubes, Aluminium Sheet & Coils, Aluminium Flats, Etc.,



Office:

#12/25, Malaiyappan Street,
Mannady, Chennai - 600 001

Contact US:

+91 8056248297,+91 8825499312

Email ID:

info.nadiraluminium@gmail.com,
Peer.nadhir@gmail.com

Branch 01:

NADIR TRADING COMPANY

#8/11 No.7, Vedatha Murugappa
Naicker Street, Selaivoyal,
Kodungaiyur, Chennai-600 118

Godown:

No.1, Perumal Koil Street,
Madhavaram, Chennai - 600060



NADIR ALUMINIUM

NADIR ALUMINIUM

S.NO	PROFILE CATEGORY	PAGE NO
1	ROUND PIPE	1
2	ROUND ROD	2
3	SQUARE TUBE	3
4	SQUARE BAR	4
5	HEXAGON BAR	5
6	RECTANGULAR TUBE	6
7	FLAT BAR	7
8	RADIUS FLAT BAR	8
9	EQUAL ANGLE	9
9	UNEQUAL ANGLE	9
10	SINGLE CHANNEL (OR) U - CHANNEL	10
11	FLUTED TUBE & RECTANGULAR	11
12	TUBE WITH C.RADIUS	12
13	GENERAL	13
14	AC GRILL	14
15	COMMERCIAL	15
16	ARCHITECTURAL	16
17	AUTOMOBILE	17
18	HVAC,AHU & THERMAL BREAK	18
19	LADDER	19
19	MESH	19
20	MODULAR	20
21	MOTOR BODY	21
22	OEM	22
23	POWER	23
24	RAILWAY	24
25	TRANSPORT	25

GENERAL INFORMATION

WROUGHT ALLOYS: CHEMICAL COMPOSITION LIMITS (PERCENT)


USA AA	ALLOY ALCAN CANADA	ISS OLD	ISS NEW	Cu		Mg		Si		Mn		Fe MAX.	OTHER MAX.	REMARKS
				MIN.	MAX.	MIN.	MAX.	MIN.	MAX.	MIN.	MAX.			
1050	IS	IB	19500	---	0.05	---	---	---	0.3	---	0.05	0.4	0.1	AL. 99.5% MIN.
1070	---	---	19700	---	0.03	---	---	---	0.2	---	0.03	0.25	0.1	AL. 99.7% MIN.
1080	---	IA	19800	---	0.03	---	---	---	0.15	---	0.03	0.15	0.1	AL. 99.8% MIN.
1100	2S	IC	19000	---	0.10	---	0.2	---	0.5	---	0.1	0.7	0.2	AL. 99.0% MIN.
2011	28S	---	---	5.0	6.0	---	0.1	---	0.4	---	0.1	0.7	0.4	ALSO LEAD & BISMUTH 0.2 - 0.6% EACH
2014	26S	H15	24345	3.8	4.8	0.2	0.8	0.5	1.2	0.3	1.2	0.7	0.5	---
2017	17S(16S)	H14	24534	3.5	4.7	0.4	1.2	0.2	0.7	0.4	1.2	0.7	0.5	---
3003	3S	N3	31000	---	0.1	---	0.1	---	0.6	0.8	1.5	0.7	0.4	---
5052	57S	N4	52000	---	0.1	1.7	2.6	---	0.6	---	0.5	0.5	0.4	---
5086	C54S	N5	53000	---	0.1	2.8	4.0	---	0.6	---	0.5	0.5	0.4	---
6061	65S	H20	65032	0.15	0.4	0.7	1.2	0.4	0.8	0.2	0.8	0.7	0.4	---
6063	50S	H9	63400	---	0.1	0.4	0.9	0.3	0.7	---	0.3	0.6	0.4	---
6066	C62S	H11	22450	0.7	1.2	0.8	1.4	0.9	1.8	0.6	1.1	0.7	0.4	---
6101	D50S	91E	63401	---	0.1	0.35	0.8	0.3	0.7	---	0.03	0.5	0.1	---
6201	---	---	64401	---	0.1	0.6	0.9	0.5	0.9	---	0.03	0.5	0.1	---
6351	B51S	H30	64430	---	0.1	0.4	1.2	0.6	1.3	0.4	1	0.6	0.4	---
6005	---	---	62400	---	0.1	0.4	0.6	0.6	0.9	---	0.1	0.35	---	---
6060	---	---	63400	---	0.1	0.35	0.6	0.3	0.6	---	0.1	0.3	---	---

Cu - COPPER
 Mg - MAGNESIUM
 Si - SILICON
 Mn - MANGANESE
 Fe - IRON

BS 1474:1987

TABLE 6

DIAMETER, WIDTH (OR) WIDTH ACROSS FLAT		TOLERANCES ±mm
OVER (mm)	UPTO AND INCLUDING (mm)	
---	3	0.16
3	10	0.20
10	18	0.26
18	30	0.32
30	40	0.40
40	60	0.45
60	80	0.50
80	100	0.65
100	120	0.80
120	140	0.90
140	160	1.0
160	180	1.1
180	200	1.2
200	240	1.3
240	280	1.5
280	320	1.7




D - OUTER DIAMETER
T - THICKNESS

COMMERCIAL

COMMERCIAL

SEC NO	D	T	WT/RANGE/12'
1606	5.60	1.20	0.145 - 0.180
1605	6.30	1.10	0.160 - 0.190
1607	7.50	0.65	0.120 - 0.150
1608	7.90	0.90	0.175 - 0.210
1610	9.00	0.65	0.150 - 0.185
1609	9.40	0.70	0.170 - 0.200
1613	12.7	0.90	0.290 - 0.370
1613/A	12.7	1.20	0.385 - 0.462
11696	12.7	2.35	0.678 - 0.814
1612	12.8	1.70	0.530 - 0.645
1613/B	13.9	0.8	0.293 - 0.352
1614	14.80	0.75	0.256 - 0.395
1615	15.00	2.00	0.725 - 0.885
1615H	15.00	2.40	0.840 - 1.015
1616L	15.00	1.20	0.490 - 0.590
1616	16.00	1.80	0.710 - 0.870
16117	17.45	5.20	1.800 - 2.154
11617/A	17.50	2.65	1.099 - 1.321
6901	17.90	1.30	0.590 - 0.750
1617	18.50	1.30	0.620 - 0.760
1618	18.50	1.60	0.755 - 0.920
1619	19.00	3.50	1.510 - 1.850
1628	19.00	2.00	0.970 - 1.140
1629	19.00	0.80	0.400 - 0.510
1630	19.00	1.00	0.500 - 0.610
11702	19.00	2.00	0.948 - 1.138
11694	20.00	2.10	1.116 - 1.339
1692	21.00	5.50	2.380 - 2.860
11621	21.00	5.00	2.235 - 2.682
11621/A	21.00	3.00	1.508 - 1.810

SEC NO	D	T	WT/RANGE/12'
1621	21.50	5.00	2.300 - 2.810
1622	22.00	1.00	0.420 - 0.630
11697	22.00	2.00	1.117 - 1.340
11701	22.00	3.00	1.591 - 1.909
11711	22.00	7.00	2.944 - 3.600
1620	22.20	1.00	0.530 - 0.790
K6412	22.23	3.32	1.759 - 2.149
1623	23.00	4.5	2.325 - 2.840
2524	24.00	3.50	2.200 - 2.500
1624	24.50	2.75	1.670 - 2.040
1625	25.00	3.00	2.050 - 2.350
1625/A	25.00	2.00	1.285 - 1.570
1625/B	25.00	1.60	1.040 - 1.280
1625/T	25.00	5.75	3.090 - 3.710
1626	25.40	3.18	1.980 - 2.410
11688	25.40	2.00	1.307 - 1.569
11700	25.40	7.70	3.807 - 4.569
1690	25.50	6.25	3.360 - 4.030
2526	26.00	3.20	2.150 - 2.350
1627L	27.00	5.50	3.300 - 3.970
1627	27.00	6.30	4.030 - 4.350
2527	27.00	3.20	2.200 - 2.500
2530	27.00	3.60	2.350 - 2.825
11695	28.00	5.82	3.610 - 4.332
2528	28.00	4.00	2.800 - 3.000
2528/A	28.80	3.00	2.200 - 2.500
2529	29.00	4.50	3.080 - 3.696
1634	30.00	4.00	2.900 - 3.230
1635	30.00	3.00	2.380 - 2.650
11630	30.00	6.00	4.022 - 4.826




D - OUTER DIAMETER
T - THICKNESS

COMMERCIAL

COMMERCIAL

SEC NO	D	T	WT/RANGE/12'
1667	30.00	8.85	5.520 - 6.070
1687	30.00	7.90	4.872 - 5.846
1631	31.80	3.18	2.540 - 3.100
1637	31.80	1.80	1.530 - 1.830
2531	31.80	4.50	3.600 - 4.100
1632	32.00	4.00	3.130 - 3.820
1674	32.00	7.00	5.240 - 5.625
11632	32.00	9.00	5.783 - 6.940
11632/A	32.00	10.00	6.146 - 7.376
2532	32.40	3.20	2.610 - 3.133
1633	33.00	6.20	4.640 - 5.670
1633/T	33.00	5.75	4.690 - 5.030
1642	33.40	3.38	3.000 - 3.300
1633/A	33.50	9.50	7.080 - 7.450
1633/B	33.50	12.50	7.950 - 8.410
1643	33.70	3.20	2.840 - 3.215
11706	33.92	8.79	6.170 - 7.541
11634	34.30	9.05	6.242 - 7.490
2533	34.40	4.50	4.150 - 4.400
2534	34.90	4.75	4.400 - 4.800
11693	35.00	11.00	4.532 - 5.439
11698	35.00	2.50	2.270 - 2.714
2535	35.00	4.50	4.000 - 4.450
2536	35.00	3.50	3.230 - 3.450
1686	36.00	7.00	5.672 - 6.807
2538	36.40	5.25	4.570 - 5.485
1636	37.00	0.85	0.870 - 1.060
2537	37.00	4.50	4.340 - 4.550
1638L	38.00	4.5	4.200 - 5.000
1638	38.00	7.5	6.400 - 7.800

SEC NO	D	T	WT/RANGE/12'
1639B	38.00	2.00	1.560 - 1.900
1639	38.10	3.18	3.400 - 3.800
1640	38.10	6.35	5.800 - 6.800
1641	40.00	5.00	5.000 - 5.800
1644	40.00	3.20	3.425 - 3.880
2541	41.82	4.56	5.250 - 5.500
11692	42.00	12.00	6.034 - 7.241
11704	42.00	7.00	6.844 - 8.213
2542	42.20	4.75	5.800 - 6.100
2543	42.80	5.25	5.510 - 6.610
1644H	43.00	7.50	7.440 - 8.920
K6564	44.00	10.5	9.862 - 12.054
1645	45.00	3.00	3.250 - 4.300
1646	45.00	10.75	11.164 - 11.695
11639	45.00	8.25	8.472 - 10.167
2549	47.90	4.50	5.800 - 6.330
1647	48.00	9.50	11.230 - 11.470
1648	48.00	8.50	9.500 - 11.500
11648	48.00	13.00	12.713 - 15.255
11691	48.00	14.00	8.017 - 9.621
1649	50.00	2.50	3.450 - 3.922
1650	50.00	1.10	1.500 - 1.830
1651	50.00	10.00	11.250 - 13.700
1652	50.00	5.00	6.300 - 7.600
1653	50.80	3.18	4.250 - 5.150
1656	50.80	6.35	8.500 - 9.000
1658	50.80	2.00	2.700 - 3.300
1652/A	52.00	7.00	8.800 - 10.700
11707	52.82	1.69	2.408 - 2.943
1654	54.00	10.00	13.400 - 14.000



D - OUTER DIAMETER
T - THICKNESS

COMMERCIAL

COMMERCIAL

SEC NO	D	T	WT/RANGE/12'
11654	54.00	12.00	14.082 - 16.898
11690	54.00	14.00	9.193 - 11.032
1691	55.00	2.50	3.670 - 4.400
1655	56.00	3.00	4.930 - 5.755
1655/A	56.20	1.60	2.450 - 2.950
1657/A	57.00	2.60	4.150 - 4.600
1657	58.00	10.00	14.400 - 15.400
1666	60.00	2.50	4.190 - 4.730
1659	60.41	1.63	2.700 - 3.200
1660	61.00	2.60	4.250 - 5.100
1661	61.00	3.00	4.900 - 5.900
2562	62.00	5.30	8.395 - 10.075
1663	63.00	3.15	5.500 - 6.200
1662	64.00	2.50	3.462 - 4.230
1664	64.00	11.50	18.400 - 20.100
11664	64.00	15.00	20.536 - 24.643
11664/A	64.00	12.00	17.435 - 20.921
11668	68.00	12.5	19.379 - 23.255
1668	68.00	18.00	27.500 - 28.400
1670	70.00	4.50	8.300 - 10.000
1671	70.00	5.00	9.700 - 10.500
1672	70.00	8.00	14.800 - 16.000
1673	70.00	10.00	18.250 - 19.000
1677	70.00	2.80	5.500 - 6.170
1669	71.00	3.50	6.500 - 7.740
1676	73.66	1.27	2.720 - 3.180
1675	75.00	3.5	7.760 - 8.870
1684	75.00	2.50	5.065 - 6.080
1682	76.00	8.00	15.200 - 18.240
1676/A	76.20	6.35	13.300 - 14.200

SEC NO	D	T	WT/RANGE/12'
1676/B	76.20	9.50	19.260 - 20.085
1678	77.50	9.25	19.160 - 19.920
1679	77.50	9.25	19.160 - 19.920
1680	80.00	4.50	10.300 - 11.240
1681	80.00	10.00	21.080 - 22.380
1685	80.00	4.00	8.490 - 10.190
1683	83.80	33.15	51.890 - 52.360
1688	88.90	5.46	13.625 - 14.400
11699	88.90	7.62	17.303 - 20.764
1689	89.00	3.00	7.500 - 8.500
11669	89.10	1.60	3.910 - 4.692
11689	89.10	1.60	3.911 - 4.694
1699	100.00	4.00	11.550 - 12.300
1698/B	101.50	6.35	18.150 - 19.300
1698	101.60	3.18	9.100 - 10.320
1697	105.00	3.15	9.330 - 10.590
1696	106.40	4.00	12.080 - 13.350
16110	110.00	3.50	10.910 - 12.230
11703	114.20	8.51	25.129 - 30.155




NADIR ALUMINIUM

NADIR ALUMINIUM

ROUND ROD

PAGE 02 - I



D - DIAMETER


SEC NO	D	WT/RANGE/12'
1201	6.00	0.260-0.320
1203	8.00	0.460-0.550
1209	9.00	0.620-0.720
1210	9.60	0.710-0.800
1205	10.00	0.650-0.800
1206	11.50	1.030 - 1.070
1212	12.20	1.115 - 1.200
1211	12.70	1.200-1.350
1214	14.00	1.369 - 1.643
1216	15.70	1.800-2.000
1220	19.00	2.730-2.950
1222	22.00	3.750-3.950
1224	24.00	4.400-4.700
1225	25.40	4.800-5.200
1228	28.00	6.000-6.500
1230	30.50	6.900 - 7.500
1235	35.00	8.558 - 10.269
1238	38.00	11.250-11.600
1244	44.45	13.802 - 16.562
1250	50.80	20.000-21.000
1255	55.00	23.000-24.000
1257	57.00	25.000-26.000

SEC NO	D	WT/RANGE/12'
1263	63.00	30.700-31.700
1265	65.00	32.800-33.800
1270	70.00	36.600-37.800
1276	76.20	45.000-46.000
1280	80.00	49.600-51.200
1290	90.00	56.578 - 67.893
1299	110.00	95.600 - 96.200

COMMERCIAL

COMMERCIAL

ALL DIMENSIONS ARE IN MM




A - SIDE
T - THICKNESS

COMMERCIAL

COMMERCIAL

SEC NO	A	T	WT/RANGE/12'
1812	12.00	0.55	0.250 - 0.350
1816	16.00	0.61	0.360 - 0.410
1816 L	16.00	0.53	0.310 - 0.360
1817	17.00	0.65	0.370 - 0.470
1818	18.00	0.85	0.500 - 0.650
1819	18.50	0.65	0.410 - 0.500
1820	19.00	2.00	1.200 - 1.450
1855	20.00	1.60	1.100 - 1.300
1822	22.00	0.60	0.465 - 0.550
1822 L	22.00	0.50	0.380 - 0.465
1824	22.00	2.0	1.420 - 1.735
1823	23.00	0.62	0.500 - 0.600
1823 L	23.00	0.51	0.400 - 0.500
1849	24.00	0.75	0.675 - 0.750
1854	25.00	1.50	1.450 - 1.650
1847	25.40	2.50	2.400 - 2.650
1848	25.40	2.00	1.700 - 2.100
1851	25.40	0.85	0.740 - 0.900
1852	25.40	0.70	0.650 - 0.710
1853	25.40	0.95	0.900 - 1.100
1848H	25.4	2.2	1.815-2.178
1828	28.00	1.20	1.300 - 1.500
1830	30.00	0.80	0.850 - 1.000
1830 L	30.00	0.67	0.700 - 0.850
1830 H	30.00	3.00	3.000 - 3.370
1832	32.00	1.40	1.700 - 1.900

SEC NO	A	T	WT/RANGE/12'
1832 L	32.00	0.78	0.900 - 1.000
1831	32.00	5.00	4.800 - 5.759
1837	38.00	1.60	2.070 - 2.530
1838	38.00	0.84	1.150 - 1.350
1838L	38.00	0.59	0.800 - 0.950
1838H	38.00	2.0	2.560 - 3.130
1838M	38.00	1.20	1.700 - 1.800
1882	40.00	4.00	5.122 - 6.146
1843	43.00	2.0	3.000 - 3.480
1868	50.00	1.00	1.900 - 2.100
1869	50.00	2.00	3.800 - 4.100
1870	50.00	3.00	5.500 - 5.900
1872	50.00	1.50	2.580 - 3.160
1881	50.00	5.00	8.004 - 9.605
1860	60.00	4.00	7.968-9.562
1871	70.00	2.00	5.500 - 5.800
7057	76.00	2.00	5.900 - 6.500
1880	80.00	7.00	19.650 - 20.750
5055	105.00	2.50	10.200 - 10.700




A - SIDE

SEC NO	A	WT/RANGE/12'
1015	5.00	0.220 - 0.265
1012	12.00	1.280 - 1.560
1013	12.70	1.430 - 1.730
1019	19.05	3.230-3.930
1025	25.00	5.600- 6.850
1030	30.00	8.460-9.330
1035	35.00	11.900-12.300
1038	38.10	13.620-15.050
1050	50.80	24.220-26.780
1063	63.50	37.240-42.420
1089	67.54	40.371 - 48.445
1076	76.20	55.000-60.000
1088	88.00	68.273-82.648

COMMERCIAL


COMMERCIAL



SEC NO	A/F	WEIGHT (kg/m)
1081	10.00	0.234
1082	27.00	1.705
1080	30.00	2.081
1083	50.80	6.034

COMMERCIAL

COMMERCIAL




A - WIDTH
B - HEIGHT
T - THICKNESS

SEC NO	A	B	T	WT/RANGE/12'
6154	20.00	10.00	1.00	0.550 - 0.700
1912	25.00	12.00	0.80	0.500 - 0.600
K6558	25.00	10.00	0.80	0.484 - 0.592
1996	31.75	12.70	1.60	1.172 - 1.407
1933	33.00	20.00	1.20	1.040 - 1.280
1914	36.00	23.00	0.58	0.700 - 0.800
1914 L	36.00	23.00	0.53	0.600 - 0.700
1913	36.50	24.50	0.70	0.780 - 0.910
1999	36.50	40.00	1.00	1.318 - 1.610
1917	37.00	24.50	0.85	0.900 - 1.100
1918	37.00	25.0	0.75	0.700 - 1.080
1915	38.00	24.00	0.66	0.800 - 0.900
1916	38.00	24.00	2.00	2.200 - 2.400
1919	38.10	25.4	0.70	0.800 - 0.900
1932	40.00	20.00	2.30	2.450 - 2.700
1998	40.00	20.00	2.00	1.989 - 2.387
1944	44.50	38.10	1.78	2.380 - 2.775
1923	48.00	24.00	0.66	0.850 - 1.000
1922	48.70	24.25	0.65	0.880 - 0.920
1921	49.00	24.50	0.85	1.080 - 1.185
1925	49.00	25.00	0.75	0.845 - 1.300
1924	50.00	25.00	0.90	1.250 - 1.500
1929	50.00	25.00	1.30	1.900 - 2.100
1930	50.00	25.00	1.50	2.100 - 2.300
1931	50.00	25.00	2.00	2.670 - 2.940
1950	50.00	20.00	1.00	1.450 - 1.650
1951	50.00	20.00	3.00	3.540 - 4.050
1981	50.00	30.15	3.00	3.952 - 4.743
1959	60.00	40.00	3.00	5.275 - 5.865
1960	60.00	40.00	1.50	3.000 - 3.300
1934	63.50	38.10	0.95	1.800 - 2.000
1935	63.50	38.10	1.10	2.000 - 2.200
1936	63.50	38.10	1.25	2.300 - 2.500

SEC NO	A	B	T	WT/RANGE/12'
1937	63.00	38.10	1.35	2.600 - 2.800
1938	63.50	38.10	1.45	2.800 - 3.000
1939	63.50	38.10	1.55	3.100 - 3.300
1940	63.50	38.10	1.65	3.300 - 3.500
1941	63.50	38.10	2.00	3.600 - 4.000
1993	70.00	20.00	2.00	3.057 - 3.668
1970	75.00	24.50	0.70	1.300 - 1.400
1974	75.00	25.00	2.00	3.750 - 4.150
1975	75.00	25.00	3.00	5.300 - 5.800
1976	76.00	38.00	3.00	6.500 - 7.000
1976 A	76.00	38.00	2.00	3.907 - 4.688
1980	80.00	45.00	1.80	4.000 - 4.400
1978	82.00	38.00	1.50	3.600 - 4.000
1979	82.00	38.00	3.00	6.700 - 7.000
1982	100.00	25.00	1.90	4.500 - 5.000
1990	100.00	55.00	2.00	5.478 - 6.573
1994	100.00	50.00	3.00	7.685 - 9.222
1988	101.6	44.45	1.35	3.800 - 4.200
1991	101.6	44.45	2.00	5.500 - 6.000
19001	101.60	50.00	4.00	10.214 - 12.257
1997	103.00	46.00	3.60	8.900 - 10.680
1992	120.0	60.00	5.00	16.125 - 17.470
1977	120.0	50.00	3.00	8.911 - 10.694
1995	150.00	50.00	2.50	8.669 - 10.403

COMMERCIAL

COMMERCIAL



SEC NO	A	B	WT/RANGE/12'
1173	12.70	6.35	0.675 - 0.740
11113	13.00	4.20	0.480 - 0.580
1105	15.00	8.00	1.060-1.300
1106	18.00	2.00	0.320-0.380
1107	19.00	5.00	0.840-1.000
1108	19.00	3.00	0.415-0.500
1110	19.00	10.00	1.690-2.050
1113	19.00	6.00	1.010-1.240
K6411	19.05	6.35	1.081 - 1.321
1111	25.00	2.00	0.450-0.550
1114	25.00	3.00	0.520-0.600
1118	25.00	10.00	2.220-2.720
1119	25.00	12.00	2.700-3.230
1120	25.00	18.00	4.000-4.850
1197	25.00	6.00	1.335 - 1.600
1116	25.40	6.35	1.430-1.730
K6409	25.40	4.78	1.074 - 1.312
K6410	28.19	4.78	1.195 - 1.461
1122	28.70	4.50	1.150-1.400
1115	31.00	3.50	1.000 - 1.130
K6469	31.80	6.50	1.802 - 2.202
1121	32.00	6.00	1.700-2.100
1123	32.00	10.00	3.100-3.225
1124	32.00	12.00	3.400-4.200

SEC NO	A	B	WT/RANGE/12'
1199	32.00	25.00	7.115 - 8.540
11107	36.00	4.00	1.278 - 1.533
1135	38.00	6.00	2.000-2.500
1112	38.10	25.40	9.075-10.025
1117	38.10	3.00	1.050-1.200
1125	38.10	6.35	2.150-2.630
1127	38.10	12.70	4.550-5.000
1126	40.00	10.00	3.600-4.200
1126/A	40.00	16.00	6.000-6.600
1172	40.0	6.0	2.250 - 2.475
1174	41.0	20.0	7.975 - 8.230
11131	49.00	9.50	4.600 - 4.695
1128	50.00	10.00	4.700-5.200
1129	50.00	2.00	0.890-1.090
1129/A	50.00	8.00	3.750-4.130
1132	50.00	12.00	5.640-6.220
1143/A	50.00	20.00	9.800-10.800
1144L	50.00	2.69	1.190-1.430
1144	50.40	3.00	1.420-1.560
1130	50.80	6.35	3.000-3.350
1130/A	50.80	15.88	7.600-8.370
1131	50.80	25.40	12.700-13.500
1131/A	50.80	9.50	4.550-5.000
1133	50.80	12.70	6.000-6.700

COMMERCIAL

COMMERCIAL




NADIR ALUMINIUM

NADIR ALUMINIUM

FLAT BAR

PAGE 07 - II



A - WIDTH
B - THICKNESS

SEC NO	A	B	WT/RANGE/12'
1143	50.80	19.05	9.100-10.000
1152	52.00	17.00	8.650-8.810
1151	52.25	3.25	1.620-1.720
11109	57.00	3.00	1.518 - 1.822
1164	58.00	8.00	4.380 - 4.780
1145	60.00	6.00	3.400 - 3.800
1136	63.00	10.00	5.950-6.550
1134	63.50	6.35	3.800-4.200
1137	63.50	12.70	7.570-8.370
1141	63.50	38.10	22.800-24.800
11106	64.00	14.0	7.900 - 9.480
1165	65.00	10.00	6.200 - 6.600
1139	74.00	14.00	9.720-10.720
1138	75.00	10.00	7.000-7.800
1178	75.0	12.00	8.000-9.600
1140	76.20	6.00	4.300-4.730
1142	76.20	12.70	9.100-10.000
1175	76.20	25.40	18.300-20.000
1176	76.20	15.88	12.600-13.900
1146	80.00	14.00	10.520-11.620
1146/A	80.00	10.00	7.600-8.300
1166	85.00	8.00	6.500 - 6.900
1147	100.0	8.00	7.500-8.300
1148	100.0	10.0	9.400-10.400

SEC NO	A	B	WT/RANGE/12'
1179	100.0	12.00	10.670-12.800
1149	101.6	6.35	6.000-6.500
1150	101.6	12.70	12.200-13.400
1180	101.60	15.88	15.200-16.700
1181	101.60	19.05	18.900-19.300
1182	101.60	25.40	25.300-25.700
1183	101.60	50.80	50.500-51.500
11105	105.00	5.0	4.980 - 5.395
11108	107.00	3.00	2.852 - 3.423
11110	110.00	7.90	7.826 - 9.392
1167	112.00	8.00	8.560 - 9.140
1168	116.00	8.00	8.870 - 9.466
1169	120.0	8.0	10.450 - 11.150
1154	125.0	12.00	14.100-15.500
1159	125.00	10.00	11.800-12.800
1198	125.30	5.00	5.570 - 6.685
1158	127.00	6.35	7.600-8.600
1184	127.00	16.00	19.100-21.000
1185	127.00	20.00	24.800-25.300
1186	127.00	25.40	31.500-32.800
1187	127.00	32.00	39.800-40.600
1188	127.00	40.00	49.700-50.700
1189	127.00	50.80	63.200-65.400
1177	140.0	10.00	12.450-14.940

COMMERCIAL

COMMERCIAL

ALL DIMENSIONS ARE IN MM




NADIR ALUMINIUM

NADIR ALUMINIUM

FLAT BAR

PAGE 07 - III




A - WIDTH
B - THICKNESS

SEC NO	A	B	WT/RANGE/12'
1170	140.0	8.0	10.700 - 11.440
1156	150.0	10.00	14.100-15.500
1171	150.0	12.0	10.700 - 11.440
1190	152.00	25.00	36.500-38.500
1155	152.4	6.35	9.100-10.000
1157	152.4	12.70	18.200-20.000
1191	152.40	19.05	28.400-29.000
1193	160.0	10.00	15.400-16.200
K6579	170.0	10.00	15.175 - 18.547
1192	177.80	12.70	22.000-22.600
1196	180.0	10.0	16.000 - 19.210
1195	190.0	4.0	7.130 - 7.880
1162	200.00	12.00	23.300-24.100
1163	200.00	10.00	18.800-20.700
11194	200.00	6.00	10.673 - 12.807
1194	201.6	6.35	12.200-13.100
1160	203.20	12.70	24.300-26.500
1161	203.20	9.52	18.200-20.000

COMMERCIAL

COMMERCIAL

ALL DIMENSIONS ARE IN MM




A - WIDTH
B - THICKNESS

SEC NO	A	B	WT/RANGE/12'
6419	9.30	1.20	0.090 - 0.130
6416	10.80	1.20	0.120 - 0.170
1572	15.88	2.03	0.278 - 0.334
1571	20.00	2.50	0.431 - 0.517
1573	36.50	3.20	1.017 - 1.221
1540	38.00	6.00	2.100-2.250
1545	45.00	5.00	2.170-2.600
1550	50.00	10.00	4.700-4.900
1552	50.00	12.00	5.600-5.800
1549	50.00	5.00	2.175 - 2.610
1567	63.50	6.00	3.319 - 3.983
1564	64.00	14.00	8.400-8.600
1566	64.50	3.00	1.700 - 2.050
1565	65.00	12.00	7.480 - 7.940
1570	70.00	14.00	8.340-10.000
1575	75.00	14.00	9.900-10.100
1577	77.00	13.00	9.500-10.300
1580	80.00	14.00	10.600-11.200
1585	85.00	14.00	11.300-12.300
8195	91.25	34.75	24.832 - 29.798
1569	100.00	3.00	2.648 - 3.178
1568	120.00	3.50	3.712 - 4.454

COMMERCIAL

COMMERCIAL



A - WIDTH / HEIGHT
T - THICKNESS

SEC NO	A	T	WT/RANGE/12'
1312	12.00	0.70	0.140 - 0.170
1317	19.00	0.65	0.215 - 0.260
1318	18.00	1.50	0.500 - 0.700
1319	19.00	2.00	0.700 - 0.900
1320	25.40	0.70	0.350 - 0.450
1321	25.40	0.95	0.450 - 0.550
1322	25.40	1.10	0.550 - 0.650
1323	25.40	1.35	0.700 - 0.800
1324	25.40	1.60	0.800 - 0.950
1328	25.40	1.35	1.100 - 1.300
1329	25.40	3.00	1.300 - 1.500
1329/A	25.40	3.40	1.510 - 1.665
1332	31.90	2.80	1.650 - 1.850
1338	38.00	1.45	1.000 - 1.100
1341	38.10	1.60	1.100 - 1.300
1344	38.10	2.30	1.600 - 1.900
1346	38.10	3.00	2.000 - 2.300
1349	38.10	4.75	3.200 - 3.500
1351	38.10	6.00	4.000 - 4.300
1350	50.00	2.00	2.000 - 2.400
1365	50.00	4.70	3.982 - 4.779
1353	50.00	4.50	3.818 - 4.666
1366	50.80	6.35	5.800 - 6.200
1367	50.80	3.00	2.700 - 3.100
1360	60.00	4.00	4.375 - 4.800


SEC NO	A	T	WT/RANGE/12'
1363	63.50	2.00	3.360 - 4.000
1354	63.50	6.00	6.453 - 7.887
1375	75.00	6.00	8.000 - 8.500
1376	75.00	10.00	13.700 - 14.500
1339	100.0	3.00	5.047 - 6.309

COMMERCIAL

COMMERCIAL



UNEQUAL ANGLE




A - WIDTH
 B - HEIGHT
 T - THICKNESS

SEC NO	A	B	T	WT/RANGE/12'
1410	10.00	6.00	1.00	0.150 - 0.225
1418	18.50	12.00	1.85	0.470 - 0.565
1419	19.0	12.50	0.65	0.175 - 0.215
1426	25.00	15.00	2.00	0.740 - 0.940
1427	25.00	20.00	2.00	0.900 - 1.050
1430	30.00	20.00	2.20	0.950 - 1.150
1425	25.40	12.70	1.30	0.450 - 0.550
1440	40.00	18.00	2.50	1.350 - 1.550
1452	38.10	25.40	2.20	1.300 - 1.500
1454	38.10	25.40	2.85	1.600 - 1.800
1445	45.00	35.00	2.00	1.500 - 1.700
1446	40.00	45.00	6.00	3.768 - 4.522
1450	50.00	25.00	2.80	2.050 - 2.350
1451	38.10	25.40	2.00	1.100 - 1.300
1453	50.00	38.00	3.00	2.270 - 2.720
1497	50.00	100.50	6.00	7.710 - 9.250
1455	55.00	45.00	4.00	3.410 - 4.170
1435	55.00	35.00	2.50	1.897-2.277
7203	60.00	50.00	2.70	2.650 - 3.100
1466	66.00	33.00	6.00	5.400 - 6.000
1475	75.00	25.00	3.00	2.850 - 3.250
1476	76.20	50.80	6.35	7.400 - 8.100
1485	85.00	25.00	2.50	2.500 - 2.800
1498	100.00	45.00	4.00	5.000- 6.100
1499	100.50	50.00	5.00	6.490 - 7.790

COMMERCIAL

COMMERCIAL



A - WIDTH
B - HEIGHT
T - THICKNESS

SEC NO	A	B	T	WT/RANGE/12'
2080	9.00	9.00	0.75	0.160-0.210
2081	9.30	9.40	0.70	0.165-0.200
2082	9.50	10.00	0.65	0.160-0.200
2084	9.70	9.70	1.20	0.280-0.340
2078	11.50	10.60	10.70	0.190-0.235
2079	11.50	11.50	0.80	0.230-0.280
2083	11.50	10.50	0.85	0.260-0.320
2085	12.00	12.00	0.90	0.270-0.330
2090	16.00	16.03	1.60	0.622 - 0.746
6321	16.30	16.0	1.40	0.600 - 0.750
2030	21.50	30.00	2.00	1.375-1.675
2023	23.00	12.50	1.20	0.485- 0.580
7024	23.00	11.00	1.44	0.540-0.650
7025	23.00	11.00	1.22	0.460-0.560
2013	25.00	13.5	1.00	0.550- 0.670
7026	25.00	13.00	1.80	0.760-0.930
2029	29.50	14.00	2.00	0.893-1.071
2089	31.00	12.00	1.55	0.711 - 0.853
8609	31.5	40.00	2.00	1.907-2.289
2088	32.00	12.00	1.15	0.549 - 0.659
3902	33.89	14.96	2.00	1.075 - 1.275
2091	34.00	20.00	2.50	1.525-1.830
2040	40.00	25.00	3.00	2.235-2.735
2086	40.00	25.00	2.00	1.530-1.870
2087	45.00	22.00	0.70	0.465-0.740
2057	46.50	38.00	4.50	4.539-5.446
2050	50.00	50.00	3.80	4.830-5.900
2052	50.00	25.00	1.20	1.040-1.270
2053	50.00	25.00	3.00	2.500-3.060


SEC NO	A	B	T	WT/RANGE/12'
2056	56.00	50.00	3.00	4.000 - 4.800
8628	60.00	80.00	5.00	9.335-11.202
8629	60.00	110.00	5.00	12.003-14.402
2092	70.00	30.00	4.00	4.338 - 5.205
2074	74.00	51.00	16.00	21.020-25.700
3106	101.00	39.80	2.90	4.500-5.500

COMMERCIAL

COMMERCIAL




FLUTED PIPE



D - OUTER DIAMETER
T - THICKNESS

SEC NO	D	T	WT/RANGE/12'
1505	18.00	0.40	0.240-0.300
1515	24.00	0.40	0.320-0.400
1515H	24.00	0.55	0.450 - 0.550
1516	24.00	1.1	0.600-0.650
1520	24.00	1.40	0.790-0.850
1523-H	24.00	2.20	1.100-1.600
1524	25.00	2.23	1.170-1.430
1525	25.00	1.15	0.500 - 0.600
1527	25.00	1.30	0.670 - 0.800
1526	25.20	3.00	1.600 - 1.930
1531	30.80	5.00	3.274 - 3.929

RECTANGULAR TUBE WITH C.RADIUS



A - WIDTH
B - HEIGHT
T - THICKNESS
R - RADIUS


SEC NO	A	B	T	R	WT/RANGE/12'
1961	61.00	26.00	1.50	3.00	2.400-2.800
1972	72.00	25.00	1.50	1.00	2.650-2.950
1973	30.00	15.00	0.80	2.00	0.550 - 0.820

COMMERCIAL


COMMERCIAL




GENERAL




SEC NO	WT/RANGE/12'
8916	1.511 - 1.814




SEC NO	WT/RANGE/12'
5318	2.734 - 3.280




SEC NO	WT/RANGE/12'
8922	4.687 - 5.624




SEC NO	WT/RANGE/12'
8917	0.543 - 0.652




SEC NO	A	B	T	WT/RANGE/12'
2150	14.0	9.00	1.0	0.290 - 0.400
2153	22.22	12.00	0.85	0.400-0.500
2154	24.750	10.90	1.0	0.450 - 0.620
2155	27.3	10.50	2.50	1.150- 1.500
2159	22.22	12.00	1.40	0.750 - 0.800
3074	22.4	14.00	0.60	0.330 - 0.390



SEC NO	WT/RANGE/12'
7409	12.000 - 14.485




SEC NO	WT/RANGE/12'
3074	0.330 - 0.390




SEC NO	A	B	T	WT/RANGE/12'
7022	28.00	23.50	2.10	1.400-1.600
7022L	28.00	23.50	1.95	1.300 - 1.400

COMMERCIAL


COMMERCIAL




SEC NO	WT/RANGE/12'
8014	3.260-3.700



SEC NO	A	B	T	WT/RANGE/12'
2352	37.80	27.80	1.70	1.600 - 1.800




SEC NO	A	B	T	WT/RANGE/12'
7023	24.00	8.00	1.10	0.370-0.430




SEC NO	A	B	T	WT/RANGE/12'
2110	22.22	12.00	0.63	0.325-0.375
2111	22.22	12.00	0.80	0.390-0.435
2112	22.22	12.00	0.95	0.465-0.570
2114	22.22	12.00	1.10	0.530-0.650
2120	30.00	15.00	0.80	0.510-0.630
2121	28.30	14.10	0.80	0.484-0.581
2123	28.30	14.10	1.13	2.220-2.664

COMMERCIAL


COMMERCIAL




SEC NO	WT/RANGE/12'
7410	6.740 - 8.100




SEC NO	WEIGHT kg/m
3119	1.132




SEC NO	WT/RANGE/12'
5303	0.800- 0.960




SEC NO	WT/RANGE/12'
5301	0.948- 1.138




SEC NO	WT/RANGE/12'
5302	0.497- 0.596




SEC NO	WT/RANGE/12'
5304	0.342- 0.411




SEC NO	WT/RANGE/12'
5313	0.681 - 0.818



SEC NO	WT/RANGE/12'
5315	0.474- 0.379




SEC NO	WT/RANGE/12'
5316	0.602- 0.723




SEC NO	WT/RANGE/12'
5314	0.592 - 0.711

COMMERCIAL


COMMERCIAL




SEC NO	A	B	C	T	WT/RANGE/12'
6392	15.7	24.7	9.0	0.9	0.370 - 0.590
6393	15.7	19.0	6.8	0.9	0.340 - 0.450
6394	15.7	15.0	4.6	0.9	0.300 - 0.400




SEC NO	WT/RANGE/12'
6046	1.320-1.580



SEC NO	A	B	D°	T	WT/RANGE/12'
6034	15.70	7.90	30	1.00	0.240 - 0.330
7019	15.70	7.30	23	1.00	0.300-0.370
7020	15.70	9.50	40	0.90	0.260-0.320
8022	15.70	6.43	16	0.85	0.230 - 0.290



SEC NO	WT/RANGE/12'
6047	0.750-0.910




SEC NO	WT/RANGE/12'
7021	0.240-0.290

COMMERCIAL

COMMERCIAL




RUNNER 15MM SERIES




SEC NO	A	B	T	WT/RANGE/12'
2950	37.50	15.00	0.90	1.000 - 1.200
2951	37.50	15.00	1.10	1.300 - 1.500
2952	37.50	15.00	1.45	1.600 - 1.800

INTER LOCK 15MM SERIES




SEC NO	A	B	T	WT/RANGE/12'
2954	37.50	15.00	0.70	1.000 - 1.200
2955	37.50	15.00	0.95	1.300 - 1.500
2956	37.50	15.00	1.20	1.600 - 1.800

TRACK 15MM SERIES




SEC NO	A	B	T	WT/RANGE/12'
2959	44.50	34.00	1.00	1.250 - 1.500
2960	44.50	34.00	1.60	1.700 - 1.900
2961	44.50	34.00	1.20	1.500 - 1.700

ONE SIDE OPEN




SEC NO	A	B	T	WT/RANGE/12'
2962	40.00	18.00	0.85	1.000-1.200
2965	40.00	18.00	1.35	1.600 - 1.800
2966	40.00	18.00	1.50	1.800 - 2.000
6066	49.8	18.00	1.20	1.57-2.020

INTER LOCK




SEC NO	A	B	T	WT/RANGE/12'
2969	40.00	18.00	0.90	1.200 - 1.400
2971	40.00	18.00	1.05	1.600 - 1.800
2972	40.00	18.00	1.40	2.000 - 2.400

BOTH SIDE OPEN




SEC NO	A	B	T	WT/RANGE/12'
2974	40.00	18.00	0.90	1.000 - 1.200
2975	40.00	18.00	0.60	0.800 - 0.850
2977	40.00	18.00	1.35	1.600 - 1.800
2978	40.00	18.00	1.55	1.800 - 2.100

TRACK SIDE



SEC NO	WT/RANGE/12'
7407	1.920 - 2.120




SEC NO	A	B	T	WT/RANGE/12'
2987	62.20	31.60	0.75	1.450 - 1.650
2988	62.20	31.60	0.96	1.800 - 2.000
2989	62.20	31.60	1.04	2.000 - 2.300
2990	62.20	31.60	1.20	2.300 - 2.500
3908	83.00	40.00	1.50	3.000 - 3.670

COMMERCIAL

COMMERCIAL




TWO TRACK BOTTOM




SEC NO	A	B	T	WT/RANGE/12'
2993	62.00	32.00	0.70	1.400 - 1.600
2994	62.00	32.00	0.83	1.900 - 2.100
2995	62.20	31.60	1.05	2.100 - 2.400
2996	62.20	31.60	1.16	2.400 - 2.800

TWO TRACK GUTTER BOTTOM




SEC NO	A	B	T	WT/RANGE/12'
2999	62.20	45.50	1.1	2.900 - 3.200

THREE TRACK SIDE




SEC NO	A	B	T	WT/RANGE/12'
3002	92.00	31.60	1.00	2.500 - 2.800
3004	92.00	31.60	1.30	3.200 - 3.600

THREE TRACK BOTTOM




SEC NO	A	B	T	WT/RANGE/12'
3008	92.00	31.60	1.00	2.900 - 3.300
3010	92.00	31.60	1.30	4.100 - 4.400


THREE TRACK GUTTRACK



SEC NO	A	B	T	WT/RANGE/12'
3013	92.00	45.5	1.20	4.500-5.000




SEC NO	WT/RANGE/12'
3262	4.230 - 5.080



SEC NO	WT/RANGE/12'
3261	4.080 - 4.890

SHUTTER PLAIN




SEC NO	WT/RANGE/12'
3028	1.410-1.722

COMMERCIAL


COMMERCIAL




INTER LOCK




SEC NO	WT/RANGE/12'
3032	1.880-2.600



SEC NO	WT/RANGE/12'
3026	0.800-1.000



SEC NO	WT/RANGE/12'
3006	3.420-4.170




SEC NO	WT/RANGE/12'
3012	3.900-4.760

COMMERCIAL


COMMERCIAL

SHUTTER PLAIN




SECNO	A	B	T	WT/RANGE/12'
3024	38.00	20.00	0.91	1.000 - 1.200
3024 L	38.00	20.00	0.57	0.650 - 0.800
3025	38.00	20.00	1.40	1.490-1.820


INTER LOCK



SEC NO	A	B	T	WT/RANGE/12'
3029	38.00	20.00	1.40	1.830-2.230
3030	38.00	20.00	1.50	1.950-2.380
3031	38.00	20.00	1.00	1.450-1.650




SEC NO	A	B	T	WT/RANGE/12'
3036	41.00	20.00	1.20	1.260-1.540




SECNO	A	B	T	WT/RANGE/12'
3040	62.00	29.50	0.90	1.800 - 1.980
3041	62.00	29.50	1.18	2.280 - 2.500
3042	62.00	29.50	1.30	2.570 - 2.825



THREE TRACK SIDE




SECNO	A	B	T	WT/RANGE/12'
3048	92.36	29.70	1.18	3.140-3.840




SECNO	A	B	T	WT/RANGE/12'
3043	62.00	29.50	0.90	2.100 - 2.310
3044	62.00	29.50	1.15	2.520 - 2.770
3045	62.00	29.50	1.30	2.800 - 3.080


THREE TRACK BOTTOM




SECNO	A	B	T	WT/RANGE/12'
3050	92.36	29.70	1.18	3.640-4.500




SEC NO	WT/RANGE/12'
5034	3.540-4.320




SEC NO	WT/RANGE/12'
5035	4.040-4.610



SEC NO	WT/RANGE/12'
5041	5.450-6.090




SEC NO	WT/RANGE/12'
5040	4.000-4.400




SEC NO	WT/RANGE/12'
8260	4.792 - 5.751

COMMERCIAL


COMMERCIAL



SEC NO	WT/RANGE/12'
8703	5.392- 6.471




SEC NO	WT/RANGE/12'
8738	5.412- 6.494




SEC NO	WT/RANGE/12'
3908	3.000 - 3.670




SEC NO	WT/RANGE/12'
3911	2.250 - 2.780




SEC NO	WT/RANGE/12'
3910	2.700 - 3.350



SEC NO	WT/RANGE/12'
3907	2.570 - 2.860



SEC NO	WT/RANGE/12'
3260	5.892 - 7.077




	A	B	T	WT/RANGE/12'
3202	33.0	38.50	2.30	1.450-1.770
3204	33.0	38.50	3.00	1.780-2.170
3205	33.0	38.50	4.30	2.290-2.800

COMMERCIAL


COMMERCIAL



"H" SECTION




SECNO	A	B	T	WT/RANGE/12'
3212	33.00	38.50	2.00	1.620-1.980
3215	33.00	38.50	3.00	2.350-2.870
3216	33.00	38.50	4.30	2.660-3.250




SECNO	A	B	T	WT/RANGE/12'
3206	59.00	33.00	1.55	2.120-2.610

HOLLOW CHAIR




SEC NO	A	B	T	WT/RANGE/12'
3224	44.40	46.90	1.45	2.160-2.640

"Z" HOLLOW




SEC NO	A	B	T	WT/RANGE/12'
3221	43.60	46.2	1.50	2.090-2.390

HOLLOW CHAIR




SEC NO	A	B	T	WT/RANGE/12'
3223	44.40	34.00	1.40	1.650-2.030


BOX CLIP



SEC NO	A	B	T	WT/RANGE/12'
3226	21.00	16.00	1.0	0.520-0.630




SECNO	A	B	T	WT/RANGE/12'
3220	59.00	38.00	1.55	2.675-3.290




SEC NO	A	B	T	WT/RANGE/12'
3256 L	57.00	34.00	0.90	1.895 - 2.270
3256	57.00	34.00	1.25	2.530 - 2.970

COMMERCIAL


COMMERCIAL




SEC NO	A	B	T	WT/RANGE/12'
3257	34.00	44.50	1.7	2.120-2.390
3257L	34.00	44.50	1.4	1.720-1.990




SEC NO	A	B	T	WT/RANGE/12'
3259	34.00	44.50	1.8	1.930-2.160
3259L	34.00	44.50	1.1	1.370-1.640




SEC NO	A	B	T	WT/RANGE/12'
3258	31.00	15.50	1.20	0.580-0.690




SEC NO	WT/RANGE/12'
8261	2.592 - 3.110




SEC NO	WT/RANGE/12'
8299	7.751 - 9.301



SEC NO	WT/RANGE/12'
8297	3.175 - 3.810




SEC NO	WT/RANGE/12'
8298	5.580 - 6.696




SEC NO	WT/RANGE/12'
8567	1.996 - 2.395

COMMERCIAL


COMMERCIAL




SEC NO	A	B	C	T	WT/RANGE/12'
7073	55.0	15.0	50.0	1.80	1.300-1.600




SEC NO	WT/RANGE/12'
7121	1.650-1.970




SEC NO	A	B	T	WT/RANGE/12'
7072	53.45	9.5	4.0	2.050-2.400




SEC NO	WT/RANGE/12'
6006	3.750-4.500




SEC NO	WT/RANGE/12'
6008	4.540-5.400



SEC NO	WT/RANGE/12'
6010	2.640-3.320





SEC NO	A	B	T	WT/RANGE/12'
4580	102.00	53.00	2.50	7.500-8.000



SEC NO	WT/RANGE/12'
8232	7.727 - 9.273


COMMERCIAL

COMMERCIAL




SEC NO	A	B	C	T	WT/RANGE/12'
4591	45.00	45.00	10.00	1.40	2.400 - 2.800
4592	45.00	45.00	6.00	1.10	1.800 - 2.200
4596	70.00	58.00	27.00	2.00	5.150 - 5.700


SEC NO	A	B	C	T	WT/RANGE/12'
4590	118	57.00	18.00	2.00	6.300 - 7.300
4592	45.00	45.00	6.00	1.10	1.800 - 2.200
4597	95.00	57.00	26.00	2.50	9.100 - 9.500
4598	64.00	57.00	10.00	2.00	4.900 - 5.400
4599	100.00	57.00	10.00	2.00	6.000 - 6.500
4575	65.00	57.40	13.50	3.50	7.747 - 9.296
45150	140.00	57.40	13.50	3.50	12.415 - 14.898




SEC NO	A	B	T	WT/RANGE/12'
5053	131.2	67.0	2.50	9.500 - 10.000
5068	131.2	67.00	2.0	7.420 - 8.710




SEC NO	A	B	T	WT/RANGE/12'
5054	131.16	38.50	2.50	8.500 - 9.000
5069	131.16	38.5	2.0	6.030 - 7.750



SEC NO	WT/RANGE/12'
5058	5.100-5.300




SEC NO	WT/RANGE/12'
5059	2.100-2.350




SEC NO	WT/RANGE/12'
5056	2.200-2.600

COMMERCIAL


COMMERCIAL




SEC NO	WT/RANGE/12'
5066	2.600-2.800




SEC NO	WT/RANGE/12'
5067	0.850-1.100




SEC NO	WT/RANGE/12'
6012	7.600-9.000




SEC NO	WT/RANGE/12'
6014	3.120-4.000




SEC NO	WT/RANGE/12'
6054	6.100-7.100



SEC NO	WT/RANGE/12'
6053	7.400-8.600




SEC NO	WT/RANGE/12'
6055	4.400-5.200




SEC NO	WT/RANGE/12'
6056	5.400-6.600

COMMERCIAL


COMMERCIAL




SEC NO	A	B	C	T	WT/RANGE/12'
6229	158.25	150.25	55.00	1.8	7.400-8.800
6230	158.25	150.25	55.00	2.8	11.000-12.700




SEC NO	A	B	T	WT/RANGE/12'
4581	38.00	20.00	1.55	1.350-1.600




SEC NO	A	B	T	WT/RANGE/12'
1811	60.00	53.00	2.00	3.600-4.000




SEC NO	A	B	T	WT/RANGE/12'
7044	114.46	39.00	2.00	6.700-7.100




SEC NO	A	B	T	WT/RANGE/12'
7049	47.00	47.00	2.50	4.330-5.070



SEC NO	A	B	T	WT/RANGE/12'
4651	64.00	34.00	1.30	1.100-1.300




SEC NO	A	B	T	WT/RANGE/12'
7001	50.00	65.00	1.80	4.300-5.100




SEC NO	A	B	T	WT/RANGE/12'
7004	65.00	29.50	1.80	3.450-3.850

COMMERCIAL


COMMERCIAL




SEC NO	WT/RANGE/12'
8039	9.000-10.200




SEC NO	WT/RANGE/12'
9004	1.050-1.220




SEC NO	WT/RANGE/12'
4657	6.821 - 8.186




SEC NO	WT/RANGE/12'
9083	7.340-8.970




SEC NO	WT/RANGE/12'
9084	6.275-7.670



SEC NO	WT/RANGE/12'
9085	5.300-6.480




SEC NO	WT/RANGE/12'
45150	12.415- 14.898




SEC NO	WT/RANGE/12'
8995	6.136 - 7.364

COMMERCIAL


COMMERCIAL





SEC NO	A	B	T	WT/RANGE/12'
6065	50.50	50.50	4.90	4.140-4.300
6065/L	50.50	50.50	3.80	3.300-3.700




SECNO	A	B	T	WT/RANGE/12'
7046	60.20	60.20	10.50	9.800-10.200
7047	60.20	60.20	9.30	8.560-8.940



SEC NO	WT/RANGE/12'
7039	1.130-1.530



SEC NO	WT/RANGE/12'
6067	3.100-3.300




SEC NO	WT/RANGE/12'
9024	3.650-4.630



SEC NO	A	B	T	WT/RANGE/12'
2603	48	24	0.60	0.925 - 1.130
2604	50.8	25.40	0.90	1.380 - 1.680
2605	50.8	25.40	1.30	1.910 - 2.290
2617	63.50	38.10	0.66	1.400 - 1.600
2618	63.50	38.10	0.77	1.600 - 1.800
2619	63.50	38.10	0.87	1.800 - 2.000
2620	63.50	38.10	0.97	2.000 - 2.200
2621	63.50	38.10	1.07	2.200 - 2.400
2622	63.50	38.10	1.18	2.400 - 2.600
2623	63.50	38.10	1.28	2.600 - 2.800
2624	63.50	38.10	1.38	2.800 - 3.000
2625	63.50	38.10	1.49	3.000 - 3.200
2626	63.50	38.10	1.59	3.200 - 3.400
2627	63.50	38.10	1.66	3.400 - 3.600
2628	63.50	38.10	1.76	3.600 - 3.800
2629	63.50	38.10	1.87	3.800 - 4.000
2659	101.6	44.45	1.25	3.370 - 4.120
2661	101.6	44.45	1.65	4.380 - 5.350
2664	101.6	44.45	1.95	5.410-5.955
2666	101.6	44.45	2.20	6.070 - 6.675
2668	101.6	44.45	2.45	6.715 - 7.385

COMMERCIAL


COMMERCIAL




SEC NO	A	B	T	WT/RANGE/12'
2699	62.80	36.24	1.40	3.300 - 3.800




SEC NO	A	B	T	WT/RANGE/12'
2701	47.00	44.40	1.00	2.000 - 2.300
2703	44.50	47.00	1.40	2.600 - 2.900
2705	47.00	44.40	1.70	3.500 - 4.000
2707	47.00	44.40	2.50	4.500 - 4.900



SEC NO	A	B	T	WT/RANGE/12'
2730	47.00	44.45	1.00	2.000 - 2.400
2732	47.00	44.45	1.50	2.600 - 3.000
2737	83.50	44.45	1.50	3.900 - 4.300



SEC NO	A	B	T	WT/RANGE/7'
2711	47.50	44.45	0.95	1.000 - 1.200
2712	47.50	44.45	1.20	1.300 - 1.500
2714	47.50	44.45	1.45	1.600 - 1.800
2717	47.50	44.45	1.70	1.800 - 2.000
2718	47.50	44.45	2.00	2.000 - 2.400
2719	85.00	44.45	1.00	2.600 - 2.900




SEC NO	A	B	T	WT/RANGE/12'
2742	47.00	44.45	0.83	2.200 - 2.300
2744	47.00	44.45	1.20	2.600 - 2.900
2749	47.00	44.45	2.60	4.500 - 5.000
2752	83.50	44.45	1.40	3.900 - 4.300


SEC NO	A	B	T	WT/RANGE/12'
2610	48.00	24.00	0.55	1.030-1.260
2611	50.8	24.40	0.70	1.300-1.510
2633	63.50	38.10	0.57	1.600 - 1.800
2634	63.50	38.10	0.77	1.800 - 2.000
2635	63.50	38.10	0.87	2.000 - 2.200
2636	63.50	38.10	0.97	2.200 - 2.400
2637	63.50	38.10	1.07	2.400 - 2.600
2638	63.50	38.10	1.17	2.600 - 2.800
2639	63.50	38.10	1.27	2.800 - 3.000
2640	63.50	38.10	1.37	3.000 - 3.200
2641	63.50	38.10	1.47	3.200 - 3.400
2642	63.50	38.10	1.57	3.400 - 3.600
2643	63.50	38.10	1.68	3.600 - 3.800
2645	63.50	38.10	1.78	3.800 - 4.000
2672	101.6	44.45	1.30	3.885 - 4.270
2674	101.6	44.45	1.45	4.290 - 4.720
2676	101.6	44.45	1.62	4.750 - 5.225
2678	101.6	44.45	1.85	5.360 - 5.895
2680	101.6	44.45	2.1	6.025 - 6.625
5043	63.50	38.10	1.70	3.380-4.130

COMMERCIAL


COMMERCIAL




SEC NO	A	B	C	T	WT/RANGE/12'
2755	95.25	44.45	25.40	0.85	2.400 - 2.700
2756	95.25	44.45	25.40	1.00	3.000 - 3.500
2757	95.25	44.45	25.40	1.25	3.500 - 3.900
2762	95.25	44.45	25.40	2.00	5.500 - 6.000
2767	114.00	44.45	25.40	1.35	3.800 - 4.200
2770	114.00	44.45	25.40	2.10	7.000 - 7.400




SEC NO	A	B	T	WT/RANGE/12'
2800	19.61	17.47	0.40	0.210-0.250
2801	19.61	17.47	0.47	0.250-0.300
2802	19.60	17.47	1.00	0.295 - 0.340
2803	19.60	17.47	1.35	0.340 - 0.395
2804	19.60	17.47	1.50	0.395 - 0.440




SEC NO	A	B	T	WT/RANGE/12'
2796	31.75	19.0	1.04	0.630-0.770




SEC NO	A	B	T	WT/RANGE/12'
2778	87.00	40.00	1.55	5.150 - 6.180




SEC NO	A	B	T	WT/RANGE/12'
2779	87.00	40.00	3.00	10.100-11.700



SEC NO	A	B	T	WT/RANGE/12'
2789	44.00	3.40	0.45	0.420 - 0.505
2790	44.00	3.40	0.80	0.580 - 0.650
2791	44.00	3.40	1.00	0.690 - 0.790




SEC NO	WT/RANGE/12'
7202	2.000-2.500




SEC NO	A	B	T	WT/RANGE/12'
2280	50.00	120.00	2.00	2.980 - 3.650

COMMERCIAL


COMMERCIAL




SEC NO	A	B	T	WT/RANGE/12'
2203 L	25.40	25.40	0.40	0.245-0.295
2203	25.40	25.40	0.53	0.300-0.370
2204	25.40	25.40	0.85	0.375 - 0.425
2207	25.40	25.40	1.00	0.475 - 0.575
2211	25.40	25.40	1.35	0.650 - 0.750
2224	32.00	32.00	1.45	0.950 - 1.120
2240	38.00	25.00	1.30	0.800 - 0.900
2241	38.00	25.00	1.45	0.950 - 1.100
2242	38.00	38.00	1.20	0.950 - 1.250
2243	38.00	38.00	1.60	1.140 - 1.400
2245	50.00	38.00	1.40	1.300 - 1.550




SEC NO	WT/RANGE/12'
8568	0.968- 1.162




SEC NO	WT/RANGE/12'
8320	1.296 - 1.556




SEC NO	WT/RANGE/12'
8317	2.478 - 2.974



SEC NO	WT/RANGE/12'
8318	2.618 - 3.142




SEC NO	A	B	T	WT/RANGE/12'
6003	38.45	17.84	1.17	0.775-0.975




SEC NO	A	B	T	WT/RANGE/12'
6004	33.00	26.60	1.60	1.000-1.200

COMMERCIAL


COMMERCIAL




SEC NO	A	B	T	WT/RANGE/12'
1720	70.00	90.00	1.80	7.800-8.600




SEC NO	WT/RANGE/12'
9041	2.380-3.250




SEC NO	WT/RANGE/12'
9042	2.330-3.175




SEC NO	WT/RANGE/12'
5001	3.300-3.500




SEC NO	WT/RANGE/12'
5002	4.600-4.800



SEC NO	WT/RANGE/12'
5003	8.600-9.000




SEC NO	WT/RANGE/12'
5027	3.150-3.550




SEC NO	WT/RANGE/12'
5028	4.000-4.4000

COMMERCIAL


COMMERCIAL




SEC NO	WT/RANGE/12'
5029	1.000-1.300




SEC NO	WT/RANGE/12'
6047	0.750-0.910




SEC NO	A	B	T	WT/RANGE/12'
4650	116.80	15.50	1.80	2.400-2.670
4650/L	116.80	15.50	1.50	1.900-2.100




SEC NO	WT/RANGE/12'
6011	3.500-4.100




SEC NO	WT/RANGE/12'
8134	6.470 - 7.770



SEC NO	WT/RANGE/12'
5042	6.000-6.400




SEC NO	WT/RANGE/12'
5076	3.100-3.400




SEC NO	WT/RANGE/12'
6059	3.800-4.600

COMMERCIAL


COMMERCIAL




SEC NO	A	B	T	WT/RANGE/12'
7002	26.00	20.00	1.30	1.400-1.600




SEC NO	A	B	T	WT/RANGE/12'
7003	57.00	45.00	1.30	2.770-3.150




SEC NO	WEIGHT kg/m
K6475	0.070




SEC NO	A	B	T	WT/RANGE/12'
7005	36.00	11.75	1.50	0.730-0.930




SEC NO	A	B	T	WT/RANGE/12'
7008	29.30	18.00	1.90	1.250-1.530



SEC NO	A	B	T	WT/RANGE/12'
7009	20.00	12.00	2.85	0.800-1.000




SEC NO	A	B	T	WT/RANGE/12'
7060	67.00	81.40	2.00	5.300-6.500




SEC NO	A	B	T	WT/RANGE/12'
7029	60.00	42.00	1.50	3.300-3.600

COMMERCIAL


COMMERCIAL




SEC NO	A	B	T	WT/RANGE/12'
7061	90.00	90.00	1.75	7.430-8.060




SEC NO	A	B	T	WT/RANGE/12'
7064	64.00	57.50	1.75	4.570-5.110




SEC NO	A	B	T	WT/RANGE/12'
7071	96.0	55.0	2.0	6.350-7.000




SEC NO	WT/RANGE/12'
7090	3.400-3.700




SEC NO	WT/RANGE/12'
7104	5.300-6.300



SEC NO	WT/RANGE/12'
7105	7.500-8.500




SEC NO	WT/RANGE/12'
8001	6.050-7.050




SEC NO	WT/RANGE/12'
8002	4.800-5.800

COMMERCIAL


COMMERCIAL




SEC NO	WT/RANGE/12'
8004	1.910-2.170




SEC NO	WT/RANGE/12'
8005	9.000-10.240




SEC NO	WT/RANGE/12'
8037	5.000-5.700




SEC NO	WT/RANGE/12'
8046	7.300-8.100




SEC NO	WT/RANGE/12'
8052	7.100-8.400



SEC NO	WT/RANGE/12'
8053	5.700-6.200




SEC NO	WT/RANGE/12'
8054/L	10.000-11.500




SEC NO	WT/RANGE/12'
8055	3.125-4.150

COMMERCIAL


COMMERCIAL




SEC NO	WT/RANGE/12'
8056	2.500-3.200




SEC NO	A	B	C	T	WT/RANGE/12'
7073	55.0	15.0	50.0	1.80	1.300-1.600
7120	50.0	15.0	42.72	1.0	0.760 - 1.350
8020	90.0	27.0	83.92	1.50	1.700 - 2.300




SEC NO	WT/RANGE/12'
8705	2.803- 3.363




SEC NO	WT/RANGE/12'
8722	3.471- 4.166




SEC NO	WT/RANGE/12'
8723	4.973- 5.968



SEC NO	WT/RANGE/12'
8660	3.271 - 3.925




SEC NO	WT/RANGE/12'
8968	19.204 - 2.304




SEC NO	WT/RANGE/12'
8969	0.510 - 0.612

COMMERCIAL


COMMERCIAL




SEC NO	WT/RANGE/12'
8721	4.614 - 5.537




SEC NO	WT/RANGE/12'
8659	4.239 - 5.087



SEC NO	WT/RANGE/12'
8661	12.962 - 15.554




SEC NO	WT/RANGE/12'
8970	0.629 - 0.754




SEC NO	WT/RANGE/12'
5031	2.100-2.400

COMMERCIAL


COMMERCIAL




SEC NO	WT/RANGE/12'
5032	2.600-2.900




SEC NO	WT/RANGE/12'
5033	2.080-2.370




SEC NO	WT/RANGE/12'
5038	0.580 - 0.680




SEC NO	WT/RANGE/12'
5047	3.100-3.400




SEC NO	WT/RANGE/12'
5048	3.850-4.150



SEC NO	WT/RANGE/12'
5046	2.050-2.350




SEC NO	WT/RANGE/12'
5051	1.300-1.600




SEC NO	WT/RANGE/12'
9036	4.430-5.420

COMMERCIAL


COMMERCIAL




SEC NO	WT/RANGE/12'
5049	4.150-4.450




SEC NO	WT/RANGE/12'
5050	2.400-2.700




SEC NO	WT/RANGE/12'
5057	2.600-2.800




SEC NO	A	B	T	WT/RANGE/12'
3903	25.00	26.0	1.5	1.200 - 1.350
5052	25.00	26.0	1.5	1.200 - 1.350




SEC NO	WT/RANGE/12'
3901	4.150 - 5.150



SEC NO	WT/RANGE/12'
3904	4.350 - 5.300




SEC NO	WT/RANGE/12'
3905	4.200 - 5.200




SEC NO	WT/RANGE/12'
3906	1.000 - 1.175

COMMERCIAL

COMMERCIAL




SEC NO	A	B	T	WT/RANGE/12'
1538	49.20	13.60	1.25	1.400-1.600




SEC NO	WT/RANGE/12'
1539	0.890-1.060

COMMERCIAL


COMMERCIAL




SEC NO	WEIGHT kg /mtr.
8369	2.160




SEC NO	WEIGHT kg /mtr.
8379	0.582




SEC NO	WEIGHT kg /mtr.
8380	0.645



SEC NO	WEIGHT kg /mtr.
8381	1.201




SEC NO	WEIGHT kg /mtr.
8605	1.248




SEC NO	WEIGHT kg /mtr.
8855	0.971

COMMERCIAL


COMMERCIAL




SEC NO	WT/RANGE/12'
5070	2.700-3.100




SEC NO	WT/RANGE/12'
5071	2.450-2.850




SEC NO	WT/RANGE/12'
6109	3.600-3.900




SEC NO	WT/RANGE/12'
6159	4.500-5.000




SEC NO	WT/RANGE/12'
6127	4.900-5.300



SEC NO	WT/RANGE/12'
7093	3.550-4.330




SEC NO	WT/RANGE/12'
7095	3.250-3.750




SEC NO	WT/RANGE/12'
7096	3.420-3.730

COMMERCIAL


COMMERCIAL




SEC NO	WT/RANGE/12'
8043	5.500-6.200




SEC NO	WT/RANGE/12'
7094	3.840-4.200




SEC NO	WT/RANGE/12'
8044	5.350-6.000




SEC NO	WT/RANGE/12'
8775	2.753-3.304




SEC NO	WT/RANGE/12'
8776	2.305-2.766



SEC NO	WT/RANGE/12'
8793	2.276-2.731




SEC NO	WT/RANGE/12'
8794	2.015-2.419




SEC NO	WT/RANGE/12'
8891	2.259 - 2.711

COMMERCIAL


COMMERCIAL




SEC NO	WT/RANGE/12'
8892	2.661 - 3.193




SEC NO	WT/RANGE/12'
8893	1.505 - 1.806




SEC NO	WT/RANGE/12'
6552	2.800 - 3.335




SEC NO	WT/RANGE/12'
6553	9.200 - 10.500




SEC NO	WT/RANGE/12'
6554	3.300 - 3.800



SEC NO	WT/RANGE/12'
8108	1.395 - 1.675




SEC NO	WT/RANGE/12'
8109	1.615 - 1.940




SEC NO	WT/RANGE/12'
8123	2.245 - 2.690

COMMERCIAL


COMMERCIAL




SEC NO	WT/RANGE/12'
6555	5.450 - 6.300




SEC NO	WT/RANGE/12'
6558	3.850 - 4.200




SEC NO	WT/RANGE/12'
6556	2.600 - 3.180




SEC NO	WT/RANGE/12'
6559	3.350 - 3.700




SEC NO	WT/RANGE/12'
6557	3.100 - 3.450



SEC NO	WT/RANGE/12'
8151	1.950 - 2.410




SEC NO	WT/RANGE/12'
8152	2.010 - 2.490




SEC NO	WT/RANGE/12'
9025	0.580-0.720

COMMERCIAL


COMMERCIAL




SEC NO	WT/RANGE/12'
9026	1.170-1.430




SEC NO	WT/RANGE/12'
9027	2.690-3.500




SEC NO	WT/RANGE/12'
9028	3.240-4.050




SEC NO	WT/RANGE/12'
9029	4.980-6.230




SEC NO	WT/RANGE/12'
9030	0.940-1.150



SEC NO	WT/RANGE/12'
8612	3.501 - 4.201




SEC NO	WT/RANGE/12'
8613	0.960 - 1.152




SEC NO	WT/RANGE/12'
8614	5.504 - 6.605

COMMERCIAL


COMMERCIAL




SEC NO	WT/RANGE/12'
8615	3.332 - 3.984




SEC NO	WT/RANGE/12'
9100	2.309 - 2.771




SEC NO	WT/RANGE/12'
9101	1.551 - 1.861




SEC NO	WT/RANGE/12'
9102	2.579 - 3.095




SEC NO	WT/RANGE/12'
9103	3.281 - 3.935



SEC NO	WT/RANGE/12'
9104	3.304 - 3.965




SEC NO	WT/RANGE/12'
9105	2.346 - 2.815




SEC NO	WT/RANGE/12'
8713	2.908 - 3.490

COMMERCIAL


COMMERCIAL




SEC NO	WT/RANGE/12'
8714	3.791- 4.549




SEC NO	WT/RANGE/12'
8614	5.504 - 6.605




SEC NO	WEIGHT kg /mtr.
6536	0.579




SEC NO	WT/RANGE/12'
8616	3.228 - 3.873




SEC NO	WEIGHT kg /mtr.
6537	0.149



SEC NO	WEIGHT kg /mtr.
6539	0.278




SEC NO	WEIGHT kg /mtr.
6540	0.805




SEC NO	WEIGHT kg /mtr.
6541	0.351

COMMERCIAL


COMMERCIAL




SEC NO	WEIGHT kg /mtr.
6542	0.420




SEC NO	WEIGHT kg /mtr.
6572	0.470




SEC NO	WEIGHT kg /mtr.
9101	0.471




SEC NO	WEIGHT kg /mtr.
9100	0.701




SEC NO	WEIGHT kg /mtr.
8364	0.916



SEC NO	WEIGHT kg /mtr.
8365	0.231




SEC NO	WEIGHT kg /mtr.
9102	0.783




SEC NO	WEIGHT kg /mtr.
9103	0.995

COMMERCIAL


COMMERCIAL




SEC NO	WEIGHT kg /mtr.
9104	1.003




SEC NO	WEIGHT kg /mtr.
9105	0.712




SEC NO	WEIGHT kg /mtr.
8315	0.660




SEC NO	WEIGHT kg /mtr.
8713	0.883




SEC NO	WEIGHT kg /mtr.
8714	1.151



SEC NO	WEIGHT kg /mtr.
8316	0.563




SEC NO	WEIGHT kg /mtr.
6538	0.640



SEC NO	WT/RANGE/12'
6550	4.400 - 5.240

COMMERCIAL


COMMERCIAL




SEC NO	WT/RANGE/12'
6551	2.380 - 2.800

COMMERCIAL


COMMERCIAL




SEC NO	WT/RANGE/12'
8156	3.485 - 4.180




SEC NO	WT/RANGE/12'
9022	1.770 - 2.165




SEC NO	WT/RANGE/12'
5065	3.710-4.640




SEC NO	WT/RANGE/12'
6528	3.200 - 3.950




SEC NO	WT/RANGE/12'
7175	3.200-4.200



SEC NO	WT/RANGE/12'
7178	1.500-2.000




SEC NO	WT/RANGE/12'
3079	2.990-3.310




SEC NO	A	B	T	WT/RANGE/12'
2410	66.60	32.00	1.50	1.800 - 2.000

COMMERCIAL


COMMERCIAL




SEC NO	A	B	C	T	WT/RANGE/12'
2413	65.00	31.50	37.00	1.20	1.400 - 1.600




SEC NO	A	B	T	WT/RANGE/12'
2406	64.80	31.60	1.40	1.800 - 2.100
2407	64.80	31.60	1.60	2.350 - 2.600
2408	64.40	31.90	1.07	1.750 - 1.930




SEC NO	A	B	T	WT/RANGE/12'
2403	66.00	31.60	2.00	2.280 - 2.520
2404	66.00	31.60	2.40	2.820 - 3.060
2405	66.00	31.60	3.00	3.420 - 3.660




SEC NO	A	B	C	T	WT/RANGE/12'
2412	49.00	24.50	29.00	1.20	1.050 - 1.300



SEC NO	A	B	C	T	WT/RANGE/12'
2421	65.00	32.00	36.00	1.20	1.590 - 1.740
2422	66.50	31.60	40.50	2.00	2.490 - 2.670
2423	66.50	31.60	40.10	2.50	3.090 - 3.330
2424	66.50	31.60	39.27	3.00	3.690 - 3.930
2425	66.50	31.60	39.60	3.50	4.740 - 5.100
2426	100.00	31.60	73.10	3.50	4.865 - 5.835
2432	79.00	35.95	45.00	4.00	5.400 - 5.960




SEC NO	WT/RANGE/12'
8205	4.247 - 5.096




SEC NO	WT/RANGE/12'
8206	2.531 - 3.038

COMMERCIAL

COMMERCIAL




SEC NO	WEIGHT kg /mtr.
8368	0.257




SEC NO	WEIGHT kg /mtr.
16011	0.772

COMMERCIAL


COMMERCIAL




SEC NO	A	B	T	WT/RANGE/12'
7050	19.00	9.00	0.70	0.335-0.500
7050 L	19.00	9.00	0.85	0.420-0.590




SEC NO	A	B	T	WT/RANGE/12'
6155	25.0	13.30	1.09	0.650-0.775
6155L	25.0	13.30	0.86	0.500-0.650




SEC NO	WT/RANGE/12'
8817	1.004-1.205




SEC NO	WT/RANGE/12'
7420	0.390-0.465




SEC NO	WT/RANGE/12'
8147	0.465 - 0.560



SEC NO	WT/RANGE/12'
7442	0.990 - 1.190




SEC NO	WT/RANGE/12'
7437	1.625 - 1.950




SEC NO	WT/RANGE/12'
7441	0.950 - 1.140

COMMERCIAL


COMMERCIAL




SEC NO	WT/RANGE/12'
8184	0.956 - 1.147




SEC NO	WT/RANGE/12'
8186	0.910 - 1.092




SEC NO	WT/RANGE/12'
8182	1.79 - 2.148




SEC NO	WT/RANGE/12'
8181	1.32 - 1.58




SEC NO	WT/RANGE/12'
8183	1.017 - 1.221



SEC NO	WT/RANGE/12'
8185	1.30 - 1.56




SEC NO	WT/RANGE/12'
8129	1.225 - 1.470




SEC NO	WT/RANGE/12'
8120	1.160 - 1.360

COMMERCIAL


COMMERCIAL




SEC NO	WT/RANGE/12'
8272	0.882 - 1.059




SEC NO	WT/RANGE/12'
8274	0.548 - 0.657




SEC NO	WT/RANGE/12'
8273	0.619 - 0.743



SEC NO	WT/RANGE/12'
8633	1.027 - 1.233




SEC NO	WT/RANGE/12'
8631	1.241 - 1.490




SEC NO	WT/RANGE/12'
8325	1.301 - 1.550

COMMERCIAL


COMMERCIAL




SEC NO	A	B	T	WT/RANGE/12'
7051	76.00	74.80	2.00	8.200-9.000




SEC NO	A	B	T	WT/RANGE/12'
7052	76.00	65.20	2.20	5.500-5.800




SEC NO	A	B	T	WT/RANGE/12'
7053	76.00	45.20	2.00	4.500-5.400




SEC NO	A	B	T	WT/RANGE/12'
7054	76.00	50.00	2.10	6.100-6.500




SEC NO	A	B	T	WT/RANGE/12'
7055	76.00	10.12	1.200	1.100-1.250



SEC NO	A	B	T	WT/RANGE/12'
7056	99.00	10.00	1.400	1.360-1.800




SEC NO	A	B	T	WT/RANGE/12'
7058	24.80	7.90	1.25	0.410-0.470




SEC NO	WT/RANGE/12'
8778	0.378-0.454

COMMERCIAL


COMMERCIAL




SEC NO	WT/RANGE/12'
A 3750	18.000-19.000



SEC NO	WT/RANGE/12'
A 3751	24.300-25.500




SEC NO	WT/RANGE/12'
3752	11.250 - 12.500




SEC NO	WT/RANGE/12'
A 3753	15.500 - 17.500

COMMERCIAL


COMMERCIAL




SEC NO	WT/RANGE/12'
3754	24.300-29.150



SEC NO	WT/RANGE/12'
3755	28.455 - 34.145




SEC NO	WT/RANGE/12'
3756	31.380 - 37.650




SEC NO	WT/RANGE/12'
3757	30.590 - 36.710

COMMERCIAL


COMMERCIAL




SEC NO	WT/RANGE/12'
3758	39.975 - 47.970



SEC NO	WT/RANGE/12'
3762	13.300 - 15.500




SEC NO	WT/RANGE/12'
3763	13.400-15.500




SEC NO	WT/RANGE/12'
3764	8.030 - 9.426

COMMERCIAL


COMMERCIAL




SEC NO	WT/RANGE/12'
3765	10.673 - 13.043



SEC NO	WT/RANGE/12'
3766	13.000 - 17.000




SEC NO	WT/RANGE/12'
3767	9.450 - 12.435




SEC NO	WT/RANGE/12'
3768	13.450 - 15.500

COMMERCIAL


COMMERCIAL




SEC NO	WT/RANGE/12'
3769	15.500 - 17.500



SEC NO	WT/RANGE/12'
3770	13.400 - 15.600



SEC NO	WT/RANGE/12'
3772	11.840 - 12.560




SEC NO	WT/RANGE/12'
3771	12.150 - 14.580

COMMERCIAL


COMMERCIAL




MOTOR BODY




SEC NO	WT/RANGE/12'
3773	11.390 - 12.920



SEC NO	WT/RANGE/12'
3774	11.390 - 12.430




SEC NO	WT/RANGE/12'
3776	10.060 - 12.070




SEC NO	WT/RANGE/12'
3775	11.785 - 14.140

COMMERCIAL


COMMERCIAL




SEC NO	WT/RANGE/12'
3777	14.002 - 16.803



SEC NO	WT/RANGE/12'
3778	12.044 - 14.452




SEC NO	WT/RANGE/12'
3779	16.407 - 19.689




SEC NO	WT/RANGE/12'
3781	10.208 - 12.250

COMMERCIAL


COMMERCIAL




SEC NO	WT/RANGE/12'
3782	14.335 - 17.202



SEC NO	WT/RANGE/12'
3783	9.667 - 11.601




SEC NO	WT/RANGE/12'
3785	10.774 - 12.929




SEC NO	WT/RANGE/12'
3784	12.592 - 15.111

COMMERCIAL

COMMERCIAL




SEC NO	WT/RANGE/12'
3786	12.207 -14.649




SEC NO	WT/RANGE/12'
3787	9.473 - 11.368

COMMERCIAL


COMMERCIAL




SEC NO	WT/RANGE/12'
8941	2.233 - 2.680



SEC NO	WT/RANGE/12'
8942	1.801 - 2.161




SEC NO	WT/RANGE/12'
8943	0.992 - 1.190




SEC NO	WT/RANGE/12'
6973	2.500 -3.250

COMMERCIAL


COMMERCIAL




SEC NO	WEIGHT kg /mtr.
4073	0.376




SEC NO	WEIGHT kg /mtr.
4072	0.159




SEC NO	WT/RANGE/12'
6605	27.000-28.600




SEC NO	WT/RANGE/12'
6607	10.200 - 10.800




SEC NO	WT/RANGE/12'
6611	8.000 - 9.000




SEC NO	WT/RANGE/12'
6613	0.800 - 1.000



SEC NO	WT/RANGE/12'
6616	2.500 - 3.430



SEC NO	WT/RANGE/12'
6615	5.800 - 7.500




SECNO	OD	ID	WT/RANGE/12'
3064	32	18.0	2.330 - 2.770
3065	33	21.5	2.200 - 2.500
3067	43	25.0	4.228 - 4.900


SECNO	OD	ID	WT/RANGE/12'
3071	58	38	7.200-7.600
3077	48	29	5.030-6.030
3085	64	41	9.200-10.000
3086	48	31	5.100-5.600
3104	38	23	3.450-3.750
3133	54	33	6.230-7.480
6093	54	34	6.700-7.100
9052	32	19	2.300 - 2.800

COMMERCIAL


COMMERCIAL




SEC NO	WT/RANGE/12'
9056	3.530-4.030




SEC NO	WT/RANGE/12'
8113	12.100 - 14.500




SEC NO	WT/RANGE/12'
8114	13.830 - 16.600




SEC NO	WT/RANGE/12'
8130	5.700 - 6.840




SEC NO	WT/RANGE/12'
8131	0.410 - 0.490



SEC NO	WT/RANGE/12'
8132	10.515 - 12.620




SEC NO	WT/RANGE/12'
8133	10.505 - 12.605




SEC NO	WT/RANGE/12'
8145	9.350 - 11.210

COMMERCIAL


COMMERCIAL




SEC NO	WT/RANGE/12'
8146	4.800 - 5.750




SEC NO	WT/RANGE/12'
8150	3.380 - 4.000




SEC NO	WT/RANGE/12'
8153	9.100 - 10.920




SEC NO	WT/RANGE/12'
8154	7.850 - 9.425




SEC NO	WT/RANGE/12'
8168	3.285 - 3.940



SEC NO	WT/RANGE/12'
8174	0.780 - 0.935



SEC NO	WT/RANGE/12'
8177	3.830 - 4.600




SEC NO	WEIGHT (kg/m)
K6578	4.1


ALL DIMENSIONS ARE IN MM

COMMERCIAL


COMMERCIAL




SEC NO	WT/RANGE/12'
6016	6.280-7.180




SECNO	A	B	T	WT/RANGE/12'
7074	50.00	9.00	2.9	1.720-1.840




SEC NO	WT/RANGE/12'
3093	4.160-5.080




SEC NO	WT/RANGE/12'
3114	5.330-6.250




SEC NO	WT/RANGE/12'
3092	2.350-2.880



SEC NO	WT/RANGE/12'
3097	3.090-3.770











SEC NO	WT/RANGE/12'
3096	3.530-4.320



SEC NO	WT/RANGE/12'
5305	0.583- 0.699


COMMERCIAL

COMMERCIAL




COMMERCIAL


COMMERCIAL




SEC NO	WT/RANGE/12'
5320	3.653- 4.383




SEC NO	WT/RANGE/12'
5317	0.783- 0.940




SEC NO	WT/RANGE/12'
5312	1.706 - 2.047




SEC NO	WT/RANGE/12'
5310	1.261 -1.513



SEC NO	WT/RANGE/12'
5311	1.017 - 1.221




SEC NO	WT/RANGE/12'
3066	1.750-2.050




SEC NO	WT/RANGE/12'
3068	2.850-3.260

COMMERCIAL


COMMERCIAL




SEC NO	WT/RANGE/12'
3115	0.345-0.420




SEC NO	WT/RANGE/12'
5060	4.680-5.720




SEC NO	WT/RANGE/12'
8045	7.300-8.100




SEC NO	WT/RANGE/12'
9037	3.250-3.720




SEC NO	WT/RANGE/12'
9038	6.980-8.540



SEC NO	A	B	T	WT/RANGE/12'
6203	87.65	100	2.8	14.000 -15.500
6204	87.65	80.0	2.8	13.600 - 14.600




SEC NO	WT/RANGE/12'
5301	0.948- 1.138




SEC NO	WT/RANGE/12'
5303	0.800- 0.960

COMMERCIAL


COMMERCIAL




SEC NO	WT/RANGE/12'
5304	0.342- 0.411




SEC NO	WT/RANGE/12'
5302	0.497- 0.596




SEC NO	WT/RANGE/12'
5313	0.681 - 0.818




SEC NO	WT/RANGE/12'
5314	0.592 - 0.711




SEC NO	WT/RANGE/12'
5318	2.734- 3.280



SEC NO	WT/RANGE/12'
5316	0.602- 0.723




SEC NO	WT/RANGE/12'
5315	0.474- 0.379




SEC NO	WEIGHT kg/m
6094A	0.379

COMMERCIAL

COMMERCIAL




SEC NO	WT/RANGE/12'
6157	2.000-2.300




SEC NO	WT/RANGE/12'
5004	1.450-1.750

COMMERCIAL


COMMERCIAL




SEC NO	A	B	T	WT/RANGE/12'
1303	23.7	23.7	1.5	0.720 - 0.850




SEC NO	WT/RANGE/12'
6280	0.950-1.250




SEC NO	A	B	T	WT/RANGE/12'
2164	22.70	22.70	0.85	0.475 - 0.500
2165	22.70	22.70	1.00	0.550 - 0.650
2168	22.70	22.70	1.25	0.750 - 0.850




SEC NO	A	B	T	WT/RANGE/12'
4215	24.00	12.80	1.60	1.300 - 1.500




SEC NO	WT/RANGE/12'
3099	1.100 - 1.350



SEC NO	A	B	T	WT/RANGE/12'
1748	17.00	8.00	1.20	0.500 - 0.550




SEC NO	A	B	T	WT/RANGE/12'
4209	25.00	11.40	1.50	0.950 - 1.250




SEC NO	WT/RANGE/12'
4226	3.650 - 3.950

COMMERCIAL


COMMERCIAL




SEC NO	WT/RANGE/12'
4221	0.950-1.170




SEC NO	WT/RANGE/12'
4222	1.000 - 1.245




SEC NO	A	B	T	WT/RANGE/12'
4211	38.1	16.50	2.50	1.050 - 1.200
4213	57.15	15.88	2.70	1.250 - 1.400




SECNO	A	T	WT/RANGE/12'
4200	25.40	3.00	0.600 - 0.750




SEC NO	A	B	T	WT/RANGE/12'
4214	57.15	15.88	2.7	1.350 - 1.550
4214L	57.15	15.88	2.0	1.050-1.300



SEC NO	WT/RANGE/12'
4216	1.250 - 1.450




SEC NO	A	B	T	WT/RANGE/12'
4212	38.10	12.50	1.80	0.625 - 0.750




SEC NO	A	B	T	WT/RANGE/12'
4217	31.75	4.10	2.60	0.900 - 1.000

COMMERCIAL


COMMERCIAL




SEC NO	A	B	C	T	WT/RANGE/12'
4218	32.0	3.40	1.7	3.00	0.800 - 1.000
4218/L	32.0	3.00	1.0	3.00	0.600 - 0.700
4219	32.0	3.40	1.4	3.00	0.700 - 0.800




SEC NO	A	B	T	WT/RANGE/12'
4220	72.00	1.90	0.90	0.675 - 0.800




SEC NO	WT/RANGE/12'
3112	1.950 - 2.300




SEC NO	WT/RANGE/12'
4210	1.600 - 1.900




SEC NO	A	B	T	WT/RANGE/12'
4243(L)	43.20	45.00	1.45	1.600 - 1.800
4243(M)	43.30	45.00	1.90	2.100 - 2.400
4243(H)	43.30	45.00	2.30	2.400 - 2.600



SEC NO	A	B	T	WT/RANGE/12'
4238	38.00	60.00	1.80	1.900 - 2.300




SEC NO	WT/RANGE/12'
3078	0.720 - 0.820




SEC NO	WT/RANGE/12'
3094	2.500 - 2.800

COMMERCIAL


COMMERCIAL




SEC NO	WT/RANGE/12'
3070	2.000-2.300




SEC NO	WT/RANGE/12'
3062	1.350 - 1.550




SEC NO	A	B	T	WT/RANGE/12'
4234	33.00	12.50	1.25	0.750 - 0.950




SEC NO	A	B	T	WT/RANGE/12'
4244	43.00	52.50	2.60	2.800 - 3.200
4246	40.25	51.80	3.00	3.050 - 3.350




SEC NO	A	B	T	WT/RANGE/12'
4247	40.00	39.00	2.30	3.500 - 3.700



SEC NO	A	B	T	WT/RANGE/12'
4250	55.00	39.00	2.30	3.550 - 4.230




SEC NO	WT/RANGE/12'
4223	2.160-2.490




SEC NO	WT/RANGE/12'
4224	1.130-1.360

COMMERCIAL


COMMERCIAL




SEC NO	A	B	T	WT/RANGE/12'
4239	46.50	39.00	1.95	2.250 - 2.550




SEC NO	WT/RANGE/12'
4236	1.100 - 1.250




SEC NO	WT/RANGE/12'
4227	1.390-1.700




SEC NO	WT/RANGE/12'
4225	1.920-2.210




SEC NO	A	B	T	WT/RANGE/12'
4245	36.00	31.00	1.70	2.000 - 2.300



SEC NO	WT/RANGE/12'
3061	1.100-1.300




SEC NO	WT/RANGE/12'
3103	3.000 - 3.300




SEC NO	A	B	T	WT/RANGE/12'
4319	55.50	25.00	1.10	0.920-1.100
4340	50.00	25.00	0.90	0.700-0.900

COMMERCIAL


COMMERCIAL




SEC NO	A	B	T	WT/RANGE/12'
4301	24.00	5.40	2.10	0.370 - 0.400
4302	24.00	5.85	2.65	0.470 - 0.500
4303	24.00	6.32	3.15	0.580 - 0.620
4304	31.96	6.25	2.00	0.589 - 0.706




SEC NO	A	B	T	WT/RANGE/12'
4309	52.40	13.80	1.00	1.000 - 1.200
4320	52.40	13.80	1.75	1.600 - 1.900




SEC NO	A	B	T	WT/RANGE/12'
4336	25.00	3.70	0.80	0.325 - 0.425
4337	25.20	3.70	2.60	0.575 - 0.675




SEC NO	A	B	T	WT/RANGE/12'
4321	126.50	7.00	0.80	1.700-1.900
4322	126.50	7.00	1.20	2.150-2.540




SEC NO	A	B	T	WT/RANGE/12'
4331L	87.00	7.00	0.69	0.895 - 1.075
4331	87.00	7.00	0.76	0.950 - 1.250



SEC NO	W.T. RANGE/12'
4346	1.850-2.100 Kg/12'




SEC NO	A	B	T	WT/RANGE/12'
4324	30.00	4.80	0.52	0.180-0.270
4325	30.00	5.0	0.80	0.300-0.400
4326	30.00	4.90	1.05	0.410-0.470
4327	30.00	5.71	1.20	0.480-0.530
4328	30.00	5.00	1.50	0.600-0.655




SEC NO	A	B	T	WT/RANGE/12'
4315	25.00	18.50	1.20	0.550-0.650
4316	25.00	18.50	1.60	0.850-1.000
4317	37.50	18.50	1.50	0.825-0.950

COMMERCIAL


COMMERCIAL




SEC NO	A	B	T	WT/RANGE/12'
4335	43.6	9.5	3.0	1.650 - 1.850




SEC NO	A	B	T	WT/RANGE/12'
4311	50.00	12.00	0.80	0.950 - 1.200
4314	50.00	12.00	2.15	1.600 - 1.900




SEC NO	A	B	T	WT/RANGE/12'
4339	39.40	8.00	2.27	0.950 - 1.200




SEC NO	A	B	T	WT/RANGE/12'
4345	50.90	8.00	2.00	1.100 - 1.300




SEC NO	A	B	T	WT/RANGE/12'
4345/V	49.00	12.00	2.00	1.100 - 1.300



SEC NO	A	B	T	WT/RANGE/12'
4344	49.70	7.00	2.50	1.500 - 1.700




SEC NO	WT/RANGE/12'
5039	0.650 - 0.850




SEC NO	WT/RANGE/12'
6281	1.040-1.240

COMMERCIAL


COMMERCIAL




SEC NO	WT/RANGE/12'
5037	1.700 - 1.900




SEC NO	WT/RANGE/12'
6139	2.600-2.800




SEC NO	WT/RANGE/12'
3090	2.350-2.600




SEC NO	WT/RANGE/12'
3091	1.350-1.550




SEC NO	WT/RANGE/12'
6140	1.050-1.200



SEC NO	WT/RANGE/12'
6125	1.280-1.480




SEC NO	WT/RANGE/12'
6197	1.850 - 2.150




SEC NO	WT/RANGE/12'
6064	0.500-0.650

COMMERCIAL


COMMERCIAL




SEC NO	WT/RANGE/12'
6240	1.250 - 1.550




SEC NO	WT/RANGE/12'
6239	1.050 - 1.350




SEC NO	WT/RANGE/12'
6282	0.450-0.550




SEC NO	WT/RANGE/12'
6064	0.500 - 0.650




SEC NO	WT/RANGE/12'
3060	0.475 - 0.675



SEC NO	WT/RANGE/12'
6322	0.600-0.750




SEC NO	WT/RANGE/12'
6283	1.650-1.850




SEC NO	WT/RANGE/12'
6320	1.150-1.350

COMMERCIAL


COMMERCIAL




SEC NO	WT/RANGE/12'
6597	3.930 - 4.800




SEC NO	A	B	T	WT/RANGE/12'
7034	66.64	39.50	2.50	4.300 - 4.700




SEC NO	WT/RANGE/12'
6752	7.500 - 8.000




SEC NO	WT/RANGE/12'
4251	0.603 - 0.724




SEC NO	WT/RANGE/12'
4241	0.585 - 0.702



SEC NO	WT/RANGE/12'
4240	0.602 - 0.723




SEC NO	WT/RANGE/12'
8259	1.401 - 1.681




SEC NO	WT/RANGE/12'
7197	1.850 - 2.050

COMMERCIAL


COMMERCIAL




SEC NO	WT/RANGE/12'
7198	2.500-2.900




SEC NO	WT/RANGE/12'
8041	1.650 - 1.800




SEC NO	A	B	T	WT/RANGE/12'
7343	70.40	36.30	2.1	3.000-3.300




SEC NO	WT/RANGE/12'
8042	1.450 - 1.650




SEC NO	WT/RANGE/12'
8031	3.000 - 3.300



SEC NO	WT/RANGE/12'
9033	3.750 - 3.950




SEC NO	WT/RANGE/12'
9031	1.900 - 2.200




SEC NO	WT/RANGE/12'
9032	1.500 - 1.700

COMMERCIAL


COMMERCIAL




SEC NO	WT/RANGE/12'
9051	0.800 - 0.900




SEC NO	WT/RANGE/12'
9043	1.300 - 1.500




SEC NO	WT/RANGE/12'
9044	1.200 - 1.400




SEC NO	WT/RANGE/12'
9045	2.550 - 2.850




SEC NO	WT/RANGE/12'
9063	15.500 - 16.500



SEC NO	WT/RANGE/12'
9061	1.400 - 1.600




SEC NO	WT/RANGE/12'
9062	1.320 - 1.500




SEC NO	WT/RANGE/12'
9066	3.000 - 3.400

COMMERCIAL


COMMERCIAL




SEC NO	WT/RANGE/12'
9067	2.750 - 3.150




SEC NO	WT/RANGE/12'
6505	4.870 - 5.820




SEC NO	WT/RANGE/12'
6526	0.700 - 0.850




SEC NO	WT/RANGE/12'
6525	1.470 - 1.700




SEC NO	WT/RANGE/12'
6584	1.735 - 2.085



SEC NO	WT/RANGE/12'
6585	0.560 - 0.670




SEC NO	WT/RANGE/12'
6586	1.300 - 1.555




SEC NO	WT/RANGE/12'
6587	3.520 - 4.220

COMMERCIAL


COMMERCIAL




SEC NO	WT/RANGE/12'
6588	1.145 - 1.400




SEC NO	WT/RANGE/12'
6279	0.415 - 0.530




SEC NO	WT/RANGE/12'
1306	0.245 - 0.345




SEC NO	WT/RANGE/12'
8101	1.820 - 2.180




SEC NO	WT/RANGE/12'
8102	0.980 - 1.190



SEC NO	WT/RANGE/12'
8103	1.140 - 1.400




SEC NO	WT/RANGE/12'
8105	2.880 - 3.455




SEC NO	WT/RANGE/12'
8104	3.850 - 4.620

COMMERCIAL


COMMERCIAL




SEC NO	WT/RANGE/12'
8106	3.740 - 3.940




SEC NO	WT/RANGE/12'
8107	2.570 - 2.770




SEC NO	WT/RANGE/12'
8110	0.970 - 1.165




SEC NO	WT/RANGE/12'
8118	1.100 - 1.330




SEC NO	WT/RANGE/12'
8119	1.110 - 1.330



SEC NO	WT/RANGE/12'
8121	2.875 - 3.455




SEC NO	WT/RANGE/12'
8125	1.920 - 2.305




SEC NO	WT/RANGE/12'
8126	6.520 - 7.825

COMMERCIAL


COMMERCIAL




SEC NO	WT/RANGE/12'
8127	4.480 - 5.380




SEC NO	WT/RANGE/12'
8136	0.595 - 0.710




SEC NO	WT/RANGE/12'
8137	0.600 - 0.740




SEC NO	WT/RANGE/12'
8128	6.835 - 8.200




SEC NO	WT/RANGE/12'
8161	1.000 - 1.200



SEC NO	WT/RANGE/12'
8162	1.530 - 1.840




SEC NO	WT/RANGE/12'
4305	0.311 - 0.374




SEC NO	WT/RANGE/12'
8164	2.110 - 2.530

COMMERCIAL


COMMERCIAL




SEC NO	WT/RANGE/12'
8163	4.390 - 5.270




SEC NO	WT/RANGE/12'
8165	1.370 - 1.650




SEC NO	WT/RANGE/12'
8167	4.510 - 5.410




SEC NO	WT/RANGE/12'
8813	2.454-2.944




SEC NO	WT/RANGE/12'
8814	2.615-3.138



SEC NO	WT/RANGE/12'
8886	18.617-22.341



SEC NO	WT/RANGE/12'
8815	2.368-2.842



SEC NO	WT/RANGE/12'
8824	1.495-1.794

COMMERCIAL

COMMERCIAL




NADIR ALUMINIUM


NADIR ALUMINIUM

TRANSPORT


PAGE 25 - XVIII




SEC NO	WT/RANGE/12'
8821	1.548-1.857



SEC NO	WT/RANGE/12'
8823	0.675-0.810




SEC NO	WT/RANGE/12'
4003	1.600-2.200




SEC NO	WT/RANGE/12'
8819	0.415-0.498

COMMERCIAL


COMMERCIAL




SEC NO	WT/RANGE/12'
8825	0.527-0.632



SEC NO	WT/RANGE/12'
8822	1.096-1.316




SEC NO	WT/RANGE/12'
8358	4.367 - 5.240




SEC NO	WT/RANGE/12'
8386	0.687 - 0.825


ALL DIMENSIONS ARE IN MM




SEC NO	WT/RANGE/12'
8387	0.380 - 0.456




SEC NO	WT/RANGE/12'
8820	2.154-2.585




SEC NO	WT/RANGE/12'
8812	2.233-2.679




SEC NO	WT/RANGE/12'
8777	1.116-1.339




SEC NO	WT/RANGE/12'
8572	3.185- 3.822



SEC NO	WT/RANGE/12'
8372	3.635 - 4.362




SEC NO	WT/RANGE/12'
6399	5.000 - 6.000




SEC NO	WT/RANGE/12'
8924	5.346 - 6.415

COMMERCIAL


COMMERCIAL




SEC NO	WT/RANGE/12'
8148	2.660 - 3.200




SEC NO	A	B	C	D	WT/RANGE/12'
6753	58.0	12.0	6.25	20.0	5.200 - 6.000
6763	23.0	12.0	6.25	16.0	1.680 - 1.880




SEC NO	WT/RANGE/12'
6754	3.100 - 3.600




SEC NO	WT/RANGE/12'
6755	1.600 - 2.300




SEC NO	WT/RANGE/12'
6756	3.900 - 4.400



SEC NO	WT/RANGE/12'
6757	3.500 - 4.300




SEC NO	WT/RANGE/12'
6758	3.800 - 4.500




SEC NO	WT/RANGE/12'
6759	5.918 - 6.300

COMMERCIAL


COMMERCIAL




SEC NO	WT/RANGE/12'
6760	2.810 - 3.310




SEC NO	WT/RANGE/12'
6761	7.380 - 8.660




SEC NO	WT/RANGE/12'
6762	2.490 - 2.920




SEC NO	WT/RANGE/12'
6576	1.420 - 1.760




SEC NO	WT/RANGE/12'
7444	1.860 - 2.240



SEC NO	WT/RANGE/12'
8141	11.280 - 13.535



SEC NO	WT/RANGE/12'
8142	8.300 - 10.000



SEC NO	WT/RANGE/12'
8157	7.000 - 8.000


COMMERCIAL

COMMERCIAL




TRANSPORT


PAGE 25 - XXII



SEC NO	WT/RANGE/12'
8164	2.110 - 2.530



SEC NO	WT/RANGE/12'
8171	3.480 - 4.180



SEC NO	WT/RANGE/12'
8144	1.060 - 1.220

COMMERCIAL

COMMERCIAL